



Mounting frame profile, vertical, L=2125mm

Part no. **WS17-ID**  
 Catalog No. **034524**

## Delivery program

Product range			Ci insulated enclosures
Basic function			Distribution board assembly
Product function			Section for mounting frames
Single unit/Complete unit			Single unit
Surface finish			Galvanized C section
Information about equipment supplied			Order fixing screws seperately
For use with			for wall-mounting distribution system supported on the floor For floor-standing distribution boards, 3 panels wide For floor-standing distribution boards, 4 panels wide
For use with			
Profile shape			Vertical section (outside)
Length		mm	2125
125 mm grid spacing		Number	17 x 125

## Technical data

### General

Operating and ambient conditions to VDE 0660 Part 500			
Surface finish			Galvanized C section

### Material characteristics

Surface finish			Galvanized C section
----------------	--	--	----------------------

## Technical data ETIM 7.0

Cabinet enclosures (EG000011) / Component for arrangement / baying system (switchgear cabinet) (EC002622)			
Electric engineering, automation, process control engineering / Electrical cabinet, housing, rack / Elements for switching cabinet, housing, rack / Component for arrangement/baying system (electrical cabinet) (ecl@ss10.0.1-27-18-28-13 [ACN631012])			
Model			Other
Width		mm	50
Height		mm	0
Depth		mm	2125
Material			Steel
Colour			Other
RAL-number			0

## Additional product information (links)

<b>IL014050ZU Wall bracket WS(WSM)(WW)...-ID</b>	
IL014050ZU Wall bracket WS(WSM)(WW)...-ID	<a href="ftp://ftp.moeller.net/DOCUMENTATION/AWA_INSTRUCTIONS/IL014050ZU2017_12.pdf">ftp://ftp.moeller.net/DOCUMENTATION/AWA_INSTRUCTIONS/IL014050ZU2017_12.pdf</a>
Declaration of conformity	<a href="ftp://ftp.moeller.net/DOCUMENTATION/PDF/ci_ce.pdf">ftp://ftp.moeller.net/DOCUMENTATION/PDF/ci_ce.pdf</a>
allowInterrupt=1&RevisionSelectionMethod=La model certification xEnergy Safety Ci	<a href="http://www.eaton.eu/DE/ecm/idcplg?ldcService=GET_FILE&amp;model">http://www.eaton.eu/DE/ecm/idcplg?ldcService=GET_FILE&amp;model</a>

allowInterrupt=1&RevisionSelectionMethod=La Save time – we assist you with expert pre- assembly	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;</a>
product information xEnergy Safety Ci	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;</a>
tool for calculating the power loss for switching device combinations	<a href="http://www.eaton.eu/DE/Europe/Electrical/CustomerSupport/ConfigurationTools/TCTool/index.htm">http://www.eaton.eu/DE/Europe/Electrical/CustomerSupport/ConfigurationTools/TCTool/index.htm</a>
configurator - xEnergy family	<a href="http://www.eaton.eu/DE/Europe/Electrical/CustomerSupport/ConfigurationTools/xEnergyMainSupport/index.htm">http://www.eaton.eu/DE/Europe/Electrical/CustomerSupport/ConfigurationTools/xEnergyMainSupport/index.htm</a>