## Signalling switch ready to switch-on, 1W



Part no.

184104

IZMX-LCS-1

**EL Number** (Norway)

4398467

**General specifications** Product name Eaton Moeller series IZMX/INX auxiliary contact block IZMX-LCS-1 Part no. EAN 4015081783120 Product Length/Depth 100 millimetre Product height 100 millimetre 100 millimetre Product width Product weight 0.023 kilogram Compliances RoHS conform **Product Tradename** IZMX/INX Product Type Accessories Product Sub Type Auxiliary contact block **Delivery program** Accessory Type Model Integrable Special features 1 changeover contact For signaling availability. Alternatively, also for automatic closing upon availability. The retrofit kit includes the required SEC control cable terminals. OFF message INX16..., INX40.. Used with IZMX16..., IZMX40... **Technical Data - Electrical** Rated operational current (Ie) at AC-15, 220 V, 230 V, 240 V 10 A Rated breaking capacity (inductive load) 0.25 A (250 V DC) 10 A (250 V AC) 0.5 A (125 V DC) Electric connection type Flat plug-in connection Technical Data - Mechanical Mounting Method Other Number of contacts (change-over contacts) Number of contacts (normally closed contacts) 0 Number of contacts (normally open contacts) 0 0 Number of switches (fault signal) Lamp holder None Design verification as per IEC/EN 61439 - technical data Ambient operating temperature - min -25 °C Ambient operating temperature - max 70 °C Additional information Accessory/spare part type Auxiliary contact

## **Technical data ETIM 9.0**

Low-voltage industrial components (EG000017) / Auxiliary contact block (EC000041)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Auxiliary switch block

(ecl@ss13-27-37-13-02 [AKN342018])		
Number of contacts as change-over contact		1
Number of contacts as normally open contact		0
Number of contacts as normally closed contact		0
Number of fault-signal switches		0
Rated operation current le at AC-15, 230 V	Α	10
Type of electric connection		Flat plug-in connection

Model	Integrable
Mounting method	Other
Lamp holder	None