DATASHEET - BPF-NZM7

Lightning symbol + terminal marking, for main switch



Part no.	
----------	--

BPF-NZM7 217294

General specifications	
Product name	Eaton Moeller series NZM operating element accessory
Part no.	BPF-NZM7
EAN	4015082172947
Product Length/Depth	60 millimetre
Product height	1 millimetre
Product width	20 millimetre
Product weight	0.003 kilogram
Compliances	IEC UL/CSA RoHS conform
Product Tradename	NZM
Product Type	Accessories
Product Sub Type	Operating element accessory
Delivery program	
Туре	Accessory Lightning symbol
Features	Waterproof
Special features	Including terminal marking for main switch
Frame	NZM1/2
Fitted with:	Alert/Information symbol Mounting material
Used with	N2-4 PN2 N1 NZM1-4 NZM2 NS1 NS2 N1-4 NZM1(-4), PN1(-4), N(S)1(-4) NZM2-4 N2 NZM1 NZM2(-4), PN2(-4), N(S)2(-4) PN1-4 PN1 PN1 PN2-4
Technical Data - Mechanical	
Color	Yellow
Mounting Method	Other
Material	Plastic
Material quality	Other
	Lightning symbol, small
Thickness of warning label	5 mm
Special features	Including terminal marking for main switch
Design verification as per IEC/EN 61439	
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.

10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
Additional information	
Model	Other

Technical data ETIM 9.0

Auxiliary material (EG000060) / Warning/signing plate (EC001777)

Occupational safety, accident prevention / Information, safety, traffic signs / Sticker ((Occupational safety)	/ Warning sign (sticker) (ecl@ss13-40-20-02-03 [AJZ649017])		
Shape		Rectangular		
Model		Other		
Material		Plastic		
Material quality		Other		
UV resistant		No		
Halogen free		No		
Waterproof		Yes		
With alert-/information symbol		Yes		
Symbol		Other		
With alert-/information text		No		
Literal imprint		Other		
Language of the imprint		Other		
Width	mm	20		
Height	mm	1		
Diameter	mm	0		
Thickness	mm	5		
Type of fastening		Other		
With mounting material		Yes		
Foldable		No		
Colour		Yellow		
Fluorescent		No		
Photoluminescent (glow in the dark)		No		
Mounting method		Other		