DATASHEET - NZM3-XIPA

Protection against contact with a finger, IP2X, 3p, size 3



Eaton Moeller series NZM connection type

IP2X protection against contact with finger

Cover NZM3-XKSA or NZM3 or NZM3...(C)NA und N(S)3...NA

NZM3-XIPA 4015082668082 80 millimetre 40 millimetre 100 millimetre 0.059 kilogram IEC RoHS conform NZM Accessories Connection type

Accessory Terminal

Three-pole NZM3 Three-pole

NZM3, PN3, N(S)3

Part no.	NZM3-XIPA
	266808
EL Number	4358893
(Norway)	

	ay)
General specifications	
Product name	
Part no.	
EAN	
Product Length/Depth	
Product height	
Product width	
Product weight	
Compliances	
Product Tradename	
Product Type	
Product Sub Type	
Delivery program	
Туре	
Number of poles	
Frame	
Suitable for	
Used with	

Technical	Data -	Mechanical	

Technical Data - Mechanical	
Degree of protection	IP2X (protection against contact with a finger)
Design verification as per IEC/EN 61439	
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.13 Mechanical function

Additional information		
Model	Other	
Technical data ETIM 9.0		
Low-voltage industrial components (EG000017) / Wiring set for power circuit break	er (EC002050)	
Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Wiring set for circuit breaker (ecl@ss13-27-37-04-24 [ACN957016])		
Suitable for number of poles	3	
Model	Other	