D-sub-to-terminal PROFIBUS DP adapter card for DG1 variable frequency drives



Part no. **DXG-MNT-PROFIBUS** 

744-A2618-00P

**EL Number** (Norway)

4138123

(NUI Way)	
General specifications	
Product name	Eaton DXG Communication module
Part no.	DXG-MNT-PROFIBUS
EAN	4015081721962
Product Length/Depth	45 millimetre
Product height	130 millimetre
Product width	105 millimetre
Product weight	0.023 kilogram
Compliances	CE
Product Tradename	DXG
Product Type	Accessory
Product Sub Type	Communication module
General information	
Accessory/spare part type	Communication module
Product Category	Accessories
Туре	Interface converter from 9-pin SUB-D plug to 3-pin control signal terminal
Climatic environmental conditions	
Ambient operating temperature - max	50 °C
Ambient operating temperature - min	-10 °C
Communication	
Protocol	PROFIBUS-DP
Design verification	1.00.000 57
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

## Technical data ETIM 9.0 Low-voltage industrial components (EG000017) / Accessories/spare parts for frequency controller (EC002025) Electric engineering, automation, process control engineering / Electrical drive / Static frequency converter / Static frequency converter (accessories) (ecl@ss13-27-02-31-92 [AFR303008]) Type of accessory/spare part Communication module Accessory Spare part No