

## Switch disconnector, low voltage, 160 A, AC 690 V, NH00, AC23B, 3P, IEC



## EBH0003TS5

Product name	Eaton Bussmann series low voltage NH fuse base
Part no.	EBH0003TS5
EAN	5906739009213
Product Length/Depth	110 millimetre
Product height	200 millimetre
Product width	95 millimetre
Product weight	653 gram
Compliances	CE
Certifications	IEC/EN 60947-1 IEC 60947-3
Product Tradename	None
Product Type	Low voltage NH fuse base
Product Sub Type	None
Amperage Rating	160 A
Voltage rating	690
Number of poles	Three-pole
Mounting method	DIN rail 60 mm busbar mounting

## **Technical data ETIM 8.0**

Low-voltage industrial components (EG000017) / Fuse switch disconnector (EC001040)
--

Electric engineering, automation, process control engineering / Low-voltage switch technology / Off-load switch, circuit breaker, control switch / Fuse switch disconnector (ecl@ss10.01-27-37-14-01 [AKF058013])

Electric engineering, automation, process control engineering / Low-voltage switch (ecl@ss10.0.1-27-37-14-01 [AKF058013])	r technology / Oli-load	Switch, Circuit Dieaker, Control Switch/ Fuse Switch disconnector
Version as main switch		No
Version as safety switch		No
Max. rated operation voltage Ue AC	V	690
Rated permanent current lu	Α	160
Rated operation power at AC-23, 400 V	kW	0.064
Conditioned rated short-circuit current Iq	kA	0.08
Rated short-time withstand current lcw	kA	80
Suitable for fuses		NH00
Number of poles		3
With error protection		No
Type of electrical connection of main circuit		Cable clamp
Cable entry		Other
Equipped with connectors		No
Suitable for floor mounting		No
Suitable for front mounting		Yes
Suitable for busbar mounting		No
Type of control element		Cover grip
Position control element		Front side
Motor drive optional		No
Motor drive integrated		No
Version as emergency stop installation		No
Degree of protection (IP), front side		IP30