DATASHEET - M22-TC

Telescopic clip

| Part no. | M22-TC |
|-----------|---------|
| | 216398 |
| EL Number | 4355417 |
| (Norway) | |



| (Norway) | |
|---|---|
| General specifications | |
| Product name | Eaton Moeller® series M22 Accessory Telescopic clip |
| Part no. | M22-TC |
| EAN | 4015082163983 |
| Product Length/Depth | 80 millimetre |
| Product height | 40 millimetre |
| Product width | 30 millimetre |
| Product weight | 0.031 kilogram |
| Compliances | CE Marked |
| Certifications | CSA Std. C22.2 No. 14-05 EN 60947-5 UL 508 CSA Std. C22.2 No. 94-91 IEC 60947-5 CSA UL File No.: E29184 IEC/EN 60947-5 CSA-C22.2 No. 94-91 CSA File No.: 012528 UL Category Control No.: NKCR CSA Class No.: 3211-03 CE UL CSA-C22.2 No. 14-05 M22 |
| Product tradename | Accessory |
| Product Sub Type | Telescopic clip |
| Catalog Notes | Do not use in conjunction with emergency switching off actuators. for three contact/LED elements with base fixing maximum of 10 x M22-TC brackets per enclosure, five of which can hold stay-put actuators Steplessly adjustable, screw- and snap fixing (top-hat rail IEC/EN 60715). |
| Features & Functions | |
| Fitted with: | Centering adapter |
| Functions | For equalization of the mounting depth of rear mounting devices in CI enclosures, and in cabinets with mounting depths of 115 - 155 mm |
| General information | |
| Accessory/spare part type | Accessory |
| Product category | Accessories |
| Climatic environmental conditions | |
| Ambient operating temperature - min | -25 °C |
| Ambient operating temperature - max | 70 °C |
| Communication | |
| Connection to SmartWire-DT | No |
| Design verification | |
| Equipment heat dissipation, current-dependent Pvid | 0 W |
| Heat dissipation capacity Pdiss | 0 W |
| Heat dissipation per pole, current-dependent Pvid | 0 W |
| Rated operational current for specified heat dissipation (In) | 0 A |
| Static heat dissipation, non-current-dependent Pvs | 0 W |
| | |
| 10.2.2 Corrosion resistance | Meets the product standard's requirements. |
| 10.2.2 Corrosion resistance 10.2.3.1 Verification of thermal stability of enclosures | Meets the product standard's requirements. Meets the product standard's requirements. |
| | |
| 10.2.3.1 Verification of thermal stability of enclosures | Meets the product standard's requirements. |

| 10.2.5 Lifting | Does not apply, since the entire switchgear needs to be evaluated. |
|--|--|
| 10.2.6 Mechanical impact | Does not apply, since the entire switchgear needs to be evaluated. |
| 10.2.7 Inscriptions | Meets the product standard's requirements. |
| 10.3 Degree of protection of assemblies | Does not apply, since the entire switchgear needs to be evaluated. |
| 10.4 Clearances and creepage distances | Meets the product standard's requirements. |
| 10.5 Protection against electric shock | Does not apply, since the entire switchgear needs to be evaluated. |
| 10.6 Incorporation of switching devices and components | Does not apply, since the entire switchgear needs to be evaluated. |
| 10.7 Internal electrical circuits and connections | Is the panel builder's responsibility. |
| 10.8 Connections for external conductors | Is the panel builder's responsibility. |
| 10.9.2 Power-frequency electric strength | Is the panel builder's responsibility. |
| 10.9.3 Impulse withstand voltage | Is the panel builder's responsibility. |
| 10.9.4 Testing of enclosures made of insulating material | Is the panel builder's responsibility. |
| 10.10 Temperature rise | Not applicable. |
| 10.11 Short-circuit rating | Is the panel builder's responsibility. The specifications for the switchgear must be observed. |
| 10.12 Electromagnetic compatibility | Is the panel builder's responsibility. The specifications for the switchgear must be observed. |
| 10.13 Mechanical function | The device meets the requirements, provided the information in the instruction leaflet (IL) is observed. |

Technical data ETIM 9.0

Low-voltage industrial components (EG000017) / Accessories/spare parts for command devices (EC002024)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Command and alarm device / Command and alarm device (accessories) (ecl@ss13-27-37-12-92 [AC0037015])

| Type of electrical accessory/spare part | Other |
|---|-------|
| Type of mechanical accessory/spare part | Other |
| Accessory | Yes |
| Spare part | No |