

Busbars, for SPC, 7HP



Part no. **ZV-KSBI-7TE/S**
263968

General specifications		
Product name		Eaton Distribution parts
Part no.		ZV-KSBI-7TE/S
EAN		4015082639686
Product Length/Depth		122.5 millimetre
Product height		15 millimetre
Product width		18 millimetre
Product weight		0.077 kilogram
Compliances		RoHS conform
Product Tradename		None
Product Type		Distribution parts
Product Sub Type		None
Public Consumption		Yes
Product Family Description		ES-PMCC-PDC-Eaton Distribution parts
Globally Marketable		Yes
Product Specification Details		
Color		Other
Cross section		16 mm ²
Electric connection type		Fork
Features		Can be cut to size
Number of modular spacings		7
Number of phases		1
Number of poles		Single-pole
Pitch dimensions		0 mm
Rated conditional short-circuit current (I _q)		0 kA
Rated operational voltage (U _e) - max		400 V
Rated short-time withstand current (I _{cw})		0 kA
Rated surge voltage		0 kV
Rated uninterrupted current (I _u)		0 A
Suitable for number of devices		0

Technical data ETIM 9.0

Low-voltage industrial components (EG000017) / Phase busbar (EC000215)		
Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Phase busbar (ec!@ss13-27-37-13-06 [ACN992016])		
Number of phases		1
Number of poles		1
Suitable for number of devices		0
Module width	mm	0
Cross section	mm ²	16
Length	mm	122.5
Can be cut to size		Yes
Width in number of modular spacings		7
Rated permanent current I _u	A	0
Type of electric connection		Fork
Insulated		No
Rated surge voltage	kV	0
Conditioned rated short-circuit current I _q	kA	0
Max. rated operation voltage U _e	V	400

Rated short-time withstand current I _{cw}	kA	0
Suitable for devices with N-conductor		No
Suitable for devices with auxiliary switch		No
Colour		Other