



Fuse-link, low voltage, 80 A, AC 660 V, DC 350 V, BS88/B1, 26 x 137 mm, gL/gG, BS

TC80

Product name	Eaton Bussmann series low voltage British standard fuse	
Part no.	TC80	
EAN	5027590513333	
Product Length/Depth	137 millimetre	
Product height	26 millimetre	
Product width	26 millimetre	
Product weight	123.1 gram	
Compliances	Not Applicable	
Certifications	Not Applicable	
Product Tradename	None	
Product Type	Low voltage British standard fuse	
Product Sub Type	None	
Amperage Rating	80 A	
Voltage rating	660 V	
Voltage type	AC/DC	
Breaking capacity	80 kA	
Class	Class gG/gL	
Application	general industrial applications	
Fuse type	TC	
Fuse size	BS88/B1	
Fitted with:	Centre bolted tags	
Connection	111 mm fixing centre	

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl:ss10.0.1-27-14-20-90 [BAB264011])		
Fuse construction type according to IEC 60269		B1
Type of current		AC/DC
Rated voltage AC	V	660
Rated voltage DC	V	350
Rated current	A	80
Utilization category		gL/gG (cable protection/equipment protection)
Breaking capacity	kA	80
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	
Mounting holes		M8
Centre-to-centre distance of connections	mm	111