Especificações







Eaton 197872

Eaton SPX Field bus module Modbus TCP, Ethernet/IP, Profinet IO for variable frequency drive SPX

General specifications	
PRODUCT NAME	Eaton SPX Accessory Fieldbus module
CATALOG NUMBER	197872
EAN	4015081950027
PRODUCT LENGTH/DEPTH	254 mm
PRODUCT HEIGHT	38 mm
PRODUCT WIDTH	140 mm
PRODUCT WEIGHT	0.2 kg
CERTIFICATIONS	UL Category Control No.: NMMS, NMMS2, NMMS7. NMMS8 CE marking UL File No.: E134360 UL Listed IEC/EN 61800-3 Certified by UL for use in Canada UL 508C CSA-C22.2 No. 14 IEC 61800-5 UL report applies to both US and Canada
CATALOG NOTES	The field bus module is plugged into the variable-frequency drive.
MODEL CODE	OPTE9

Powering Business Worldwide

Especificações do produto

USED WITH	SPX
PRODUCT CATEGORY	Accessories
10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND	Meets the product

Recursos

DECLARATIONS OF CONFORMITY	eaton-accessory-declaration-of-conformity-eu250850en.pdf eaton-accessory-declaration-of-conformity-uk251333en.pdf
INSTRUÇÕES DE INSTALAÇÃO	IL04012011Z2021_04.pdf

CREEPAGE DISTANCES	standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	Is the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	Is the panel builder's responsibility.
10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH	Is the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	Is the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	Is the panel builder's responsibility.
ACCESSORY/SPARE PART TYPE	Communication module
CONNECTION TYPE	2 x RJ45, 8 pole
PROTOCOL	Modbus TCP EtherNet-IP PROFINET

NOME DO PROJETO:	
NÚMERO DO PROJETO:	
PREPARADO POR:	
DATA:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlanda
Eaton.com

© 2026 Eaton. Todos os direitos reservados.

Siga-nos nas redes sociais para obter as informações mais recentes sobre os nossos produtos e suporte.