



**Busbar terminal, for CU20x5(x10, x15)**

**Part no. K20X15/50**  
**Catalog No. 002326**

**EL-Nummer 2459130**  
**(Norway)**

### Delivery program

Product range			Ci insulated enclosures
Basic function			Prepared enclosures
Product function			Accessories for busbar enclosures Accessories panel building
Accessories			Busbar terminals Ultra-flat busbar terminals
Function			Terminal for flat strip
For use with busbars		mm	Cu 20 x 15
Terminal capacity for flat strip		mm	11 x 21 x 1 2 x 11 x 21 x 1
Rated operational current of the flat strip	I <sub>e</sub>	A	630 800
Terminal capacity for round conductor		mm <sup>2</sup>	○ 1.5 - 10 ⊗ 1.5 - 6

**Notes**

Terminal capacity:

solid

stranded

flexible with ferrule

### Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Busbar terminal (EC000001)			
Electric engineering, automation, process control engineering / Electrical installation, device / Terminal (not overhead line) / Switch board (ecl@ss10.0.1-27-14-11-46 [BAA025013])			
Busbar thickness		mm	5 - 15
Busbar width		mm	20 - 20
Suitable for			Flat rail
Width clamp		mm	31
Max. conductor cross section		mm <sup>2</sup>	462
Max. rated operation current I <sub>e</sub>		A	800
Suitable for round conductor connection			Yes
Suitable for sector conductor connection			No
Suitable for strip conductor connection			Yes

### Additional product information (links)

allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&RenderModelCertification=xEnergySafetyCi	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;model%20certification%20xEnergySafetyCi">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;model certification xEnergy Safety Ci</a>
allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&RenderSaveTime=we%20assist%20you%20with%20expert%20pre-assembly	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;Save%20time%20-%20we%20assist%20you%20with%20expert%20pre-assembly">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;Save time – we assist you with expert pre-assembly</a>
allowInterrupt=1&RevisionSelectionMethod=LatestReleased&noSaveAs=0&RenderProductInformation=xEnergySafetyCi	<a href="http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;product%20information%20xEnergySafetyCi">http://www.eaton.eu/DE/ecm/idcplg?IdcService=GET_FILE&amp;product information xEnergy Safety Ci</a>
tool for calculating the power loss for switching device combinations	<a href="http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/TCTool/index.htm">http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/TCTool/index.htm</a>
configurator - xEnergy family	<a href="http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/xEnergyMainSupport/index.htm">http://www.eaton.eu/DE/Europe/Electrical/Customersupport/ConfigurationTools/xEnergyMainSupport/index.htm</a>