Button plate, black, MARCHE





Product name	Eaton Moeller® series RMQ16 Accessory Button plate
Part no.	321TQ25
EAN	4015080915638
Product Length/Depth	3 millimetre
Product height	19 millimetre
Product width	19 millimetre
Product weight	1.83 gram
Certifications	UL/CSA certification not required
Product Tradename	RMQ16
Product Type	Accessory
Product Sub Type	Button plate
Color	Black
Inscription	ON
Language	French
Shape	Square
Size	25 × 25 mm
Suitable for	Push button
Ambient operating temperature - min	-25 °C
Ambient operating temperature - max	60 °C
Connection to SmartWire-DT	No
Equipment heat dissipation, current-dependent Pvid	0 W
Heat dissipation capacity Pdiss	0 W
Heat dissipation per pole, current-dependent Pvid	0 W
Rated operational current for specified heat dissipation (In)	0 A
Static heat dissipation, non-current-dependent Pvs	0 W
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Please enquire
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	Not applicable.

10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Suitable for selector switch

Technical data ETIM 8.0					
Low-voltage industrial components (EG000017) / Legend plate for control circuit devices (EC000621)					
Electric engineering, automation, process control engineering / Low-voltage switch technology / Command and alarm device / Button plate for command and alarm devices (ecl@ss10.0.1-27-37-12-24 [AKF042014])					
Shape			Square		
Construction type			Flat		
Colour			Black		
Meaning of the imprint			On		
Language of the imprint			French		
Imprint ISO symbols			None		
Imprint			Other		
Engravable			No		
Programme diameter		mm	16		
Width		mm	19		
Height		mm	19		
Outer diameter		mm	0		
Suitable for push button			Yes		
Suitable for illuminated push buttons			No		
Suitable for indicator light			No		
Suitable for mushroom head push button			No		
Suitable for signalling lamp			No		

No