



Fuse-link, low voltage, AC 660 V, DC 350 V, BS88/B1, 26 x 137 mm, gM, BS

**TC100M160**

Product name		Eaton Bussmann series low voltage British standard fuse
Part no.		TC100M160
EAN		5027590513319
Product Length/Depth		111 millimetre
Product height		34 millimetre
Product width		34 millimetre
Product weight		205.6 gram
Compliances		Not Applicable
Certifications		IEC Rated
Product Tradename		None
Product Type		Low voltage British standard fuse
Product Sub Type		None
Amperage Rating		160 A
Voltage rating		660 V
Voltage type		AC/DC
Breaking capacity		80 kA
Class		Class gM
Application		! general industrial applications
Fuse type		TC
Fuse size		BS88/B1
Fitted with:		Centre bolted tags
Connection		111 mm fixing centre
Quantity		10

**Technical data ETIM 8.0**

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss10.0.1-27-14-20-90 [BAB264011])		
Fuse construction type according to IEC 60269		B1
Type of current		AC/DC
Rated voltage AC	V	660
Rated voltage DC	V	350
Rated current	A	160
Utilization category		gM (motor protection)
Breaking capacity	kA	80
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	
Mounting holes		M8
Centre-to-centre distance of connections	mm	111