

SILVYN® LTP

SILVYN® LTP - black conduit with thick PVC jacket



Waterproof



UV-resistant



Robust



Oil-resistant



Mechanical resistance



Good chemical resistance

Benefits

Protects against liquids

High-tensile

Robust

High crush-resistance

Largely resistant to oil and acids, UV-resistant

Application range

Mechanical engineering

Outdoors

Transformer construction

Railway applications

Paper industry

Last Update (21.03.2019)

©2019 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SILVYN® LTP

Product Make-up

Spirally-wound heavy metal protective conduit with roughened profile
Plastic outer sheath

Technical Data

| | |
|------------------------|---|
| Classification ETIM 5: | ETIM 5.0 Class-ID: EC001179 ETIM 5.0 Class-Description: Protective metallic hose |
| Classification ETIM 6: | ETIM 6.0 Class-ID: EC001179 ETIM 6.0 Class-Description: Protective metallic hose |
| Certifications: | IEC EN 61386-23 |
| Colour delivered: | Black (RAL 9005), UV-resistant |
| Material: | Steel, galvanised PVC sheath |
| Temperature range: | -20°C to +105°C |

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

SILVYN® LTP

| Article number | Nominal size | ID x OD mm | Bending radius (mm) |
|----------------|--------------|-------------|---------------------|
| SILVYN® LTP | | | |
| 61805400 | 10 - 1/4" | 7.0 x 11.8 | 35 |
| 61805410 | 12 - 5/16" | 10.0 x 14.2 | 40 |
| 61805420 | 16 - 3/8" | 12.6 x 17.8 | 45 |
| 61805430 | 20 - 1/2" | 16.0 x 21.1 | 65 |
| 61805440 | 25 - 3/4" | 21.0 x 26.4 | 100 |
| 61805450 | 32 - 1" | 26.5 x 33.1 | 135 |
| 61805460 | 40 - 1 1/4" | 35.4 x 41.8 | 175 |
| 61805470 | 50 - 1 1/2" | 40.4 x 47.9 | 230 |
| 61805480 | 63 - 2" | 51.6 x 59.7 | 280 |

Last Update (21.03.2019)

©2019 Lapp Group - Technical changes reserved

Product Management www.lappkabel.deYou can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16