

## LANmark-6 RJ45 Patchcord

The jumper cable ensures high speed data transfer and the possibility of connecting the consolidation nodes for maximum system flexibility.



Interference signals



Halogen-free

### Product features

10Gigabit Ethernet

The patchcord fully complies to Category 6, maximising the channel performance and exceeding the requirements of ISO/IEC 11801:2002 as part of a LANmark-6 wiring of Class E. This offers an improved data transmission rates and enables the inclusion of consolidation points for maximum system flexibility.

Halogen-free, flame-retardant sheath with lower smoke development

Screened version

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC001262

ETIM 5.0 Class-Description: Patch cord copper (twisted pair)

Classification ETIM 6:

ETIM 6.0 Class-ID: EC001262

ETIM 6.0 Class-Description: Patch cord copper (twisted pair)

### Note

Unless specified otherwise, the shown product values are nominal values. Detailed values (e.g. tolerances) are available upon request.

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

**LANmark-6 RJ45 Patchcord**

Article number	Article designation	Colour	Length (m)
LANmark-6 RJ45 Patchcord			
CE6147	LANmark-6 RJ45 Patchcord 0.5m	orange	0.5
CE6148	LANmark-6 RJ45 Patchcord 1.0m	orange	1
CE6149	LANmark-6 RJ45 Patchcord 1.5m	orange	1.5
CE6150	LANmark-6 RJ45 Patchcord 2.0m	orange	2
CE6151	LANmark-6 RJ45 Patchcord 3.0m	orange	3
CE6152	LANmark-6 RJ45 Patchcord 5.0m	orange	5
CE6154	LANmark-6 RJ45 Patchcord 10.0m	orange	10
CE6155	LANmark-6 RJ45 Patchcord 15.0m	orange	15

Last Update (16.03.2019)

©2019 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)You can find the current technical data in the corresponding data sheet.  
PN 0456 / 02\_03\_16