

Produktdetails

T2434 BL

T2434 BL Surface works. w/support 4XSO BL Surface mounting White - CEM



Allgemeine Informationen

Typ	T2434 BL
Bestellnummer	2CLA243400T1101
EAN	8427238114644
Beschreibung	T2434 BL Surface works. w/support 4XSO BL Surface mounting White - CEM
Langbeschreibung	4 Socket outlets fully wired with 2,5mm ² halogen free cable. Power input through cable with male rapid connector on end. Mounted on aluminium profile. Fixation system through desk clamp.

Installation / Montage

Betriebs- und Montageanleitung	No document needed
--------------------------------	--------------------

Technische Daten

Datenblatt, technische Information	No document needed
Anzahl Verbindungen	Number of audio connections: 0 Number of CAT 5 connections: 0 Number of CAT 5E connections: 0 Number of CAT 6 connections: 0

	Number of HDMI-connections: 0
	Number of USB connections: 0
Anzahl leere Modulpositionen	0
Schalterdesign	CEM
Form	Rectangular
Werkstoff	Aluminium
Ausführung	Surface mounting
Farbe	White
Anzahl Batterien	0

Umwelt

Umgebungstemperatur	(Betrieb) -5 ... +35 °C (Lagerung) -5 ... +50 °C
Konfliktmineralien- Berichtsvorlage (CMRT)	9AKK108468A3363

Abmessungen

Breite	286 mm
Höhe	134 mm
Tiefe	54 mm
Gewicht	0.921 kg

Zertifikate und Deklarationen

Konformitätserklärung - CE	No declaration needed
-------------------------------	-----------------------

Klassifizierungen

ETIM 8	EC002759 - Multi-Tischsteckdose
ETIM 9	EC002759 - Multi-Tischsteckdose
WEEE Kategorie	5. Geräte, bei denen keine der äußeren Abmessungen mehr als 50 cm beträgt (Kleingeräte)
WEEE B2C / B2B	B2C
CN8	85369001

Kategorien

Niederspannungsprodukte und Systeme → Schalterprogramme → Aufputz-Programme → Steckdosen

