

Produktdetails

T2452 BL

T2452 BL Surface works. w/ cover

2XSO+1XUSB BL Surface mounting White - CEM



Allgemeine Informationen

Typ	T2452 BL
Bestellnummer	2CLA245200T1101
EAN	8427238143538
Beschreibung	T2452 BL Surface works. w/ cover 2XSO+1XUSB BL Surface mounting White - CEM
Langbeschreibung	<p>2 socket outlets fully wired with 2,5mm² halogen free cable. 1 USB charger connector 5V/2A. Power input through cable with male rapid connector at end. High fixation with black lacquered support. Mounted on aluminium profile black lacquered. Structure made of aluminium profile. Opening by means of 90° turn with locking and auto-return.</p>

Installation / Montage

Betriebs- und Montageanleitung	No document needed
--------------------------------	--------------------

Technische Daten

Datenblatt, technische Information	No document needed
Anzahl Verbindungen	Number of audio connections: 0 Number of CAT 5 connections: 0 Number of CAT 5E connections: 0 Number of CAT 6 connections: 0 Number of HDMI-connections: 0 Number of USB connections: 1
Anzahl leere Modulpositionen	0
Schalterdesign	CEM
Form	Rectangular
Werkstoff	Aluminium
Ausführung	Surface mounting
Farbe	White
Anzahl Batterien	0

Umwelt

Umgebungstemperatur	(Betrieb) -5 ... +35 °C (Lagerung) -5 ... +50 °C
RoHS Status	nach EU-Richtlinie 2015/863 22. Juli 2019 (RoHS 3)
RoHS Information	2CLC245200T1101
REACH Erklärung	9AKK108467A7464
Konfliktmineralien-Berichtsvorlage (CMRT)	9AKK108468A3363

Abmessungen

Breite	195.8 mm
Höhe	82 mm
Tiefe	82 mm
Gewicht	1.103 kg

Zertifikate und Deklarationen

Konformitätserklärung - CE	No declaration needed
----------------------------	-----------------------

Klassifizierungen

ETIM 8	EC002759 - Multi-Tischsteckdose
ETIM 9	EC002759 - Multi-Tischsteckdose
WEEE Kategorie	5. Geräte, bei denen keine der äußeren Abmessungen mehr als 50 cm beträgt (Kleingeräte)
WEEE B2C / B2B	B2C
CN8	85369001

Kategorien

Niederspannungsprodukte und Systeme → Schalterprogramme → Aufputz-Programme → Steckdosen

