PRODUCT-DETAILS

FC600/BREL

FC600/BREL Relay Base, 12/24 V



General Information

Extended Product Type	FC600/BREL
Product ID	2CDG430051R0011
EAN	4016779708401
Catalog Description	FC600/BREL Relay Base, 12/24 V
Long Description	FC600/BREL Relay Base 12/24 V DC for connecting detectors from series FC600/FC650 to Intrusion alarm panels an KNX-Security-Components. This does not form a EN54 fire-alarm-system

Technical

Auxiliary Voltage AC/DC	10 ... 30 V DC
Maximum Switching Current	1 A
Number of Outputs	1
Mounting Type	Surface Mounted
Manual Operation	No
Color	white
Number of Batteries	0

Material Compliance

RoHS Information	2CDK540123D2701

© 2024 ABB. All rights reserved.

RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20130506
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP30

Dimensions

Product Net Width	110 mm
Product Net Height	110 mm
Product Net Depth / Length	27 mm
Product Net Weight	0.058 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.08 kg
E-Number (Switzerland)	961870403

Certificates and Declarations

Declaration of Conformity - CE	2CDK540123D2701

Installation

Instructions and Manuals	2CDG941115P0001

Popular Downloads

Data Sheet, Technical Information	2CDC542041D0201

Classifications

ETIM 8	EC001489 - Socket for fire detector
ETIM 9	EC001489 - Base for fire detector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8531 10 30
eClass	V11.0 : 40040109
Object Classification Code	A

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Fire Alarm Systems → Automatic Fire Detectors → Conventional






© 2024 ABB. All rights reserved.