


PRODUCT-DETAILS

TKK/U-CG

TKK/U-CG Card holder uni.



General Information

Extended Product Type	TKK/U-CG
Product ID	2CKA006300A1649
EAN	4011395297339
Catalog Description	TKK/U-CG Card holder uni.
Long Description	<p>Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: tacteo-configurator.my.busch-jaeger.de. Individual configuration with logos and/or ICONs and/or colours according to customer specifications. For inserting mifare RF cards. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p>

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Technical

Data Sheet, Technical Information	No document needed
Rated Voltage (U _r)	12 ... 24 V
Auxiliary Voltage AC/DC	12 V

	24 V AC/DC
Rated Current (I _n)	4 A
Number of Outputs	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Load Type	AC/DC
Mounting Type	Surface Mounted
Battery Weight	0 g
Application Function	Hospitality

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Information	9AKK104295D8727
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	86 mm
Product Net Height	86 mm
Product Net Depth / Length	34 mm
Product Net Weight	104.4 g

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E4198
--------------------------------	-----------------

Classifications

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143141

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → ABB tacteo® → Transponder Readers and Card Holders

