

PRODUCT-DETAILS

T1087 BL

Workstation French norm NF White - Zenit



General Information	
Extended Product Type	T1087 BL
Product ID	2CLA108700T1001
EAN	8427238062631
Catalog Description	Workstation French norm NF White - Zenit
Long Description	Color: White Rated voltage: 250 Vac Rated current: 16A Type E: 2P + E Shuttered for child safety Screw terminals (common terminal for both outlets). Folding system for easy installation. With labeling space. Optional: power indicator LED lamp code: 6192. Suitable for boxes code T1193, T1194, T1195, T1093 and T1094 and mounting plates code T1373.

Instructions and Manuals	No document needed
T. d. d. d.	

Technical	
Data Sheet, Technical	9AKK10103A5108
Information	

Installation

T1087 BL 2

Rated Current (In) 16 A Frequency (f) 5060 Hz Number of Phases 2 Number of Gangs 2 Design Range Screw Connection Type Module frame Socket Quilet Type Power Socket Outlets - French act. b NF C 61-314 Lype of Fastening Engage (Snap) Surface Finishing Untreated Clossy Material Plastic Label Space Provided No. Legend Without imprint Model Number French norn NF RAL Number RAL 9010 - Pure White Color White Number of Batteries 0 Environmental Degree of Protection IP20 Conflict Minerals 9AKK108468A3363 Reporting Template Storage 4 +50 °C Dimensions Product Net Width 55 mm Product Net Height 150 mm Product Net Height 0.294 m Length Product Net Weight 0.175 kg Ordering 150 °C 150 °C	Rated Voltage (U _r)	250 V
Frequency (f) SO		16 A
Number of Phases 2 2	·	50, 60 Hz
Number of Gangs		
Design Range		
Mounting Type Module frame Socket Outlet Type Power Socket Outlets - French act to NF C 61-314 Type of Fastening Engage (Snap) Surface Firshing Untreated (Glossy Material) Untreated (Glossy Pasts Care) Label Space Provided No Person Material Label Space Provided No Without imprint Model Number French norm NF RAL Number RAL Soll on Pure White Older White Number of Batteries 0 Environmental Ambient Air Temperature Operation - 5 + 35 °C Degree of Protection Storage - 5 + 50 °C Conflict Minerals 9 AKK 1084688 3363 Reporting Template 9 AKK 1084688 3363 CMIRTI 55 mm Product Net Width 55 mm Product Net Height 150 mm Product Net Height 0.294 m Length 0.175 kg Ordering 20 mm Replaced Product ID (Cld) 2 CL07108700 Ordering No declaration seeded Declaration of Conformity No declaration needed CEITM 8 EC000125 - Socket outlet VEEE Cadegory <t< th=""><th>*</th><th>Zenit</th></t<>	*	Zenit
Socket Outlet Type Power Socket Outlets - French acc. to NF C 61-314 Type of Fastening Engage (Snap) Surface Firishing Untreated Glossy Material Power Power (Snap) Material Power (Snap) Label Space Provided No Legend Without Immore Fence In norm NF RAL Number Fence In norm NF RAL Number RAL 9010 - Pure White Older Number of Batteries Q Environmental Product Net Type (Storage - S. + 35 °C) Environmental Product Net Type (Storage - S. + 35 °C) Environmental Product Net Type (Storage - S. + 35 °C) Environmental Product Net Type (Storage - S. + 35 °C) Environmental Product Net Type (Storage - S. + 35 °C) Degree of Protection IP20 Centification Services Product Net Width 55 mm Product Net Width 55 mm 96 CM Declaration of Conformity 0 224 m 96 CM Product Net Weight 0 175 kg 96 CM Ordering Product Net Weight 0 220 CM 97 CM	Connection Type	Screw
Type of Fastening Engage (Snap) Surface Firishing Untreated (Scass) Material Occasion (Snass) Material Not (Scass) Label Space Provided Not (Snass) Legend Without imprint Model Number French norm NF RAL Number RAL 9010 - Pure White Color White Number of Batteries 0 Environmental Ambient Air Temperature Operation 5 +35 °C Storage 5 +50 °C Storage 5 +50 °C Degree of Protection \$120 Conflict Minerals 9AKK108468A3363 Reporting Template \$20 Comflict Minerals 9AKK108468A3363 Reporting Template \$5 mm Product Net Width \$5 mm Product Net Width \$5 mm Product Net Height \$0.294 m Intention \$2 mm Ordering \$2 mm Repaired Product ID \$2 clotT10870 Oct Applied The Storage		Module frame
Surface Finishing Untersated Classing Material Plastic Classing Label Space Provided No. Legend Without Imprint Model Number RAL Sunder Prench norm NE RAL Number RAL 9010 - Pure White Color White Number of Batteries O Environmental Storage - 5 + 50 °C Degree of Protection 1920 Conflict Minerals 9AKK108468A3363 Reporting Template 55 mm Conflict Minerals 55 mm Reporting Template 150 mm Dimensions 150 mm Product Net Width 55 mm Product Net Depth / Length 0.294 m Length 0.175 kg Ordering 2CL0T108700 Certificates and Declarations No declaration needed Certificates and Declarations No declaration needed Classifications No declaration needed City No declaration needed Classifications Socket outlet ETIM 9 Scoto Number 12 m 12 mm	Socket Outlet Type	Power Socket Outlets - French acc. to NF C 61-314
Clossy Characteristics Clossy Characteristics Clossy C	Type of Fastening	Engage (Snap)
Themoplastic Label Spase Provided	Surface Finishing	
Legend Without Import Model Number Ferench norm NF Ferch norm NF Fall. Number of RAL. 9010 - Pure White Oldror RAL. 9010 - Pure White Oldror White Number of Batteries RAL. 9010 - Pure White Oldror White Oldror White Oldror White Oldror White Oldror White Oldror Starting Oldr	Material	
Model Number French norm NF RAL Unmber RAL 9010 - Pure White Color White Number of Batteries 0 Environmental	Label Space Provided	No
RAL Number RAL 9010 - Pure White Color Number of Batteries 0 Environmental Environmental Femperature Operation - 5 + 35 °C Storage - 5 + 35 °C Stor	Legend	Without imprint
Color White Number of Batteries O Environmental Operation - 5 + 50 °C Storage - 5	Model Number	French norm NF
Number of Batteries	RAL Number	RAL 9010 - Pure White
Environmental		White
Ambient Air Temperature Operation - 5 + 35 ° C Storage - 5 + 50 ° C Storage - 5 + 50 ° C Pogree of Protection Degree of Protection IP20 Conflict Minerals Reporting Template (CMRT) 9AKK108468A3363 COMPTION 55 mm Product Net Width 55 mm Product Net Height 150 mm Product Net Uppth / Length 0.294 m Length 0.175 kg Ordering Replaced Product ID (OLD) 2CL0T108700 Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet WEEE Category WEEE 62c / B2B 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B	Number of Batteries	<u> </u>
Storage - 5 + 50 °C	Environmental	
Degree of Protection IP20 Conflict Minerals 9AKK108468A3363 Reporting Template (CMRT) 9AKK108468A3363 Dimensions	Ambient Air Temperature	
Conflict Minerals Reporting Template (CMRT) Dimensions Product Net Width Product Net Height 150 mm Product Net Depth / 0.294 m Length Product Net Weight 0.175 kg Ordering Replaced Product ID (OLD) Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Reporting Template (CMRT) Dimensions Product Net Width 55 mm Product Net Height 150 mm Product Net Depth / 0.294 m Length Product Net Weight 0,175 kg Ordering Replaced Product ID 2CL0T108700 (QLD) Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	_	
Dimensions Product Net Width 55 mm Product Net Height 150 mm Product Net Depth / 0.294 m Length 0.175 kg Ordering Replaced Product ID 2CL0T108700 (OLD) 2CL0T108700 Certificates and Declarations Declaration of Conformity No declaration needed CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		9AKK 108408A3303
Product Net Width 55 mm Product Net Height 150 mm Product Net Depth / 0.294 m Length 0.175 kg Cordering Replaced Product ID 2CL0T108700 (QLD) 2CLOT108700 (QLD) 2CLOT108700 Certificates and Declarations Declaration of Conformity No declaration needed - CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	(CMRT)	
Product Net Width 55 mm Product Net Height 150 mm Product Net Depth / 0.294 m Length 0.175 kg Cordering Replaced Product ID (OLD) 2CL0T108700 (OLD) 2CL0T108700 (OLD) 2CLOT108700 Certificates and Declarations Declaration of Conformity No declaration needed - CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	Dimensions	
Product Net Height 150 mm Product Net Depth / 0.294 m Length Product Net Weight 0.175 kg Credering Replaced Product ID 2CL0T108700 (OLD) Certificates and Declarations Declaration of Conformity No declaration needed - CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Product Net Depth / Length Product Net Weight 0.175 kg Ordering Replaced Product ID 2CL0T108700 (OLD) Certificates and Declarations Declaration of Conformity No declaration needed - CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Length Product Net Weight 0.175 kg Ordering Replaced Product ID 2CL0T108700 (OLD) Certificates and Declarations Declaration of Conformity No declaration needed - CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Product Net Weight 0.175 kg Ordering Replaced Product ID 2CL0T108700 (OLD) Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		0.294 m
Replaced Product ID (OLD) Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	-	0.175 kg
Replaced Product ID (OLD) Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Certificates and Declarations Declaration of Conformity No declaration needed -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	Ordering	
Declaration of Conformity -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	Replaced Product ID (OLD)	2CL0T108700
Declaration of Conformity -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
Declaration of Conformity -CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	Certificates and Declarations	
CE Classifications ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		No declaration needed
ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
ETIM 8 EC000125 - Socket outlet ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer	Classifications	
ETIM 9 EC000125 - Socket outlet WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Consumer		
WEEE B2C / B2B Business To Consumer		
<u>Uno</u> 85366990		
	CINO	85366990

T1087 BL 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements\ \rightarrow\ Socket\ Outlets$

