

PRODUCT-DETAILS

1504.4 BL

Push button w/light symbol & indicator Symbol "light" Single push button Rocker 1 pole, 1NO 0NC 1CO White - Over



General Information	
Extended Product Type	1504.4 BL
Product ID	2CLA150440A1001
EAN	8427238026701
Catalog Description	Push button w/light symbol & indicator Symbol "light" Single push button Rocker 1 pole, 1NO 0NC 1CO White - Over
Long Description	10 A ; 250 V [~] . With connection system type "screw and slot nut". Lamp ref. 1591 BL incorporated.
Installation	No document needed
Technical Data Sheet, Technical	No document needed
Information	No document necueu
Rated Voltage (U _r)	250 V
Rated Current (I _n)	10 A
Contacts Configuration	1 NO, 0 NC
Number of Poles	1
Number of Contacts CO	1

© 2024 ABB. All rights reserved.

2024/02/04

Subject to change without notice

Number of Contacts NC	0
Number of Contacts NO	1
Number of Rocker Switches	1
Design Range	Over
Actuator Type	Rocker
Connection Type	Screw
Mounting Type	Surface Mounted
Type of Fastening	Screw
Surface Finishing	Untreated Glossy
Material	Thermoplastic Plastic
Legend	Symbol "light"
Model Number	Single push button
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0
Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Dimensions	
Product Net Width	0.158 m
Product Net Height	0.086 m
Product Net Depth / Length	163 mm
Product Net Weight	0.063 kg
Built-In Depth (t ₂)	25 mm
Ordering	
Replaced Product ID (OLD)	2CL0150440
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Classifications	
ETIM 8	EC000029 - Push-switch button
ETIM 9	EC000029 - Push button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
<u>CN8</u>	85365080

Categories

Low Voltage Products and Systems \rightarrow Wiring Accessories - Light Switch Ranges \rightarrow Surface Mounted Range \rightarrow Mechanical Controls



© 2024 ABB. All rights reserved.