

PRODUCT-DETAILS

## T2088 RJ

# Socket Schuko 45° RJ Protective contact (SCHUKO) Red - CEM



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | T2088 RJ  |
| Product ID            | 2CLA208800T1701   |
| EAN                   | 8427238113852   |
| Catalog Description   | Socket Schuko 45° RJ Protective contact (SCHUKO) Red - CEM                                    |
| Long Description      | Socket Schuko 45° RJ<br>Security system to avoid indirect contacts.<br>Compatible with T2xxx. |

### Installation

|                          |                    |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

### Technical

|                                   |                    |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Rated Voltage (U <sub>r</sub> )   | 250 V              |
| Rated Current (I <sub>n</sub> )   | 16 A               |
| Frequency (f)                     | 50...60 Hz         |
| Power Supply Type                 | Additional Safety  |

|                                |                             |
|--------------------------------|-----------------------------|
| Number of Phases               | 2                           |
| Number of Active Pin Terminals | 0                           |
| Number of Gangs                | 1                           |
| Design Range                   | CEM                         |
| Connection Type                | Screw                       |
| Mounting Type                  | Module frame                |
| Socket Outlet Type             | Protective Contact (SCHUKO) |
| Type of Fastening              | Snapper Mounting            |
| Surface Finishing              | Untreated<br>Glossy         |
| Material                       | Thermoplastic<br>Plastic    |
| Label Space Provided           | No                          |
| Legend                         | Without imprint             |
| Model Number                   | Protective contact (SCHUKO) |
| Color                          | Red                         |
| Number of Batteries            | 0                           |

### Environmental

|   |  |
|---|--|
| Ambient Air Temperature                     | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection                        | IP20   |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                                  |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.11 m   |
| Product Net Height         | 0.05 m   |
| Product Net Depth / Length | 0.293 m  |
| Product Net Weight         | 0.043 kg |

### Certificates and Declarations

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK107492A6484 |
|--------------------------------|-----------------|

### Classifications

|                |  |
|----------------|--|
| ETIM 8         | EC000125 - Socket outlet                                   |
| ETIM 9         | EC000125 - Socket outlet                                   |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85366990   |

---

## Categories

---

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Socket Outlets

