

PRODUCT-DETAILS

N2101.5 BL

Switch 1-way Rocker/button Off switch 1-pole with LED exchangeable White - Zenit



General Information	
Extended Product Type	N2101.5 BL
Product ID	2CLA210150N1101
EAN	8427238063324
Catalog Description	Switch 1-way Rocker/button Off switch 1-pole with LED exchangeable White - Zenit
Long Description	Color: White. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Screwless terminals With neutral (N) terminal (3 wires) Included: indicator LED lamp N2192 RJ (230 Vac)
	included: Indicator LED lamp N2192 RJ (230 Vac) Size: 1 module.

Installation	
Instructions and	2CLX210109N1001
Manuals	

Technical	
Data Sheet, Technical	9AKK10103A5108
Information	

N2101.5 BL 2

Function	Function lighting: Illuminated (on)
Rated Voltage (U _r)	250 \
Rated Current (I _n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	1
Design Range	Zenit
Wiring Configuration	Off switch 1-pole
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Illumination	Illuminated
RAL Number	RAL 9010 - Pure White
Color	White
20.0.	
Environmental	
	Operation -5 +35 °C
Environmental Ambient Air	Operation -5 +35 °C Storage -5 +50 °C
Environmental Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C IP20
Environmental Ambient Air Temperature Degree of Protection ROHS Status	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101
Environmental Ambient Air Temperature Degree of Protection	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1103 9AKK108467A7464 9AKK108467A3734
Environmental Ambient Air Temperature Degree of Protection ROHS Status ROHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT)	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464 9AKK108468A3363
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT)	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464 9AKK108467A3734
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT) Dimensions Product Net Width	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464
Environmental Ambient Air Temperature Degree of Protection ROHS Status ROHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464 9AKK108467A3734 9AKK108468A3363
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT) Dimensions Product Net Width Product Net Height	Operation -5 +35 °C Storage -5 +50 °C P2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1101 9AKK108467A7464 9AKK108467A3734

Declaration of 9AKK106930A5900 Conformity - CE

N2101.5 BL 3

Classifications		
ETIM 8	EC001590 - Installation switch	
ETIM 9	EC001590 - Installation switch	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85365080	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$





