

PRODUCT-DETAILS

N2101.5 AN

Switch 1-way Rocker/button Off switch 1-pole with LED exchangeable Anthracite - Zenit



Extended Product Type	N2101.5 AN
Product ID	2CLA210150N1801
EAN	8427238067179
Catalog Description	Switch 1-way Rocker/button Off switch 1-pole with LED exchangeable Anthracite - Zenit
Long Description	Color: Anthracite Rated voltage: 110 - 250 Vac Rated current: 16 AX Rated power iLED (230/127 Vac): 200/100 W. Screwless terminal With neutral (N) terminal (3 wires) Included: indicator LED lamp N2192 RJ (230 Vac) Size: 1 module

Insta	lation	
-------	--------	--

Instructions and 2CLX210109N1001 Manuals

Technical

Data Sheet, Technical 9AKK10103A5108

N2101.5 AN 2

Information	المراجع
Function	Function lighting: Illuminated (on
Rated Voltage (U _r)	250 \
Rated Current (I _n)	16 /
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	1
Design Range	Zenit
Wiring Configuration	Off switch 1-pole
Actuator Type	Rocker/buttor
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap
Surface Finishing	Deco Mati
Material	Plastic Thermoplastic
Label Space Provided	No
 Illumination	Illuminated
Color	Anthracite
Number of Batteries Environmental Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Environmental Ambient Air Temperature	
Environmental Ambient Air Temperature Degree of Protection	Operation -5 +35 °C Storage -5 +50 °C IP20
Environmental Ambient Air Temperature Degree of Protection ROHS Status	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information	Operation -5 +35 °C Storage -5 +50 °C IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201: 2CLC210150N180:
Environmental	Operation -5 +35 °(Storage -5 +50 °(IP20 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201 2CLC210150N180
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental	Operation -5 +35 °C Storage -5 +50 °C
Environmental Ambient Air Temperature Degree of Protection ROHS Status ROHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT)	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1803 9AKK108467A7464 9AKK108467A3734
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT) Dimensions	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1803 9AKK108467A7464 9AKK108467A3734
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT) Dimensions Product Net Width	Operation -5 +35 °C Storage -5 +50 °C P2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1803 9AKK108467A7464 9AKK108467A3734
Environmental Ambient Air Temperature Degree of Protection RoHS Status RoHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template (CMRT) Dimensions Product Net Width Product Net Height	Operation -5 +35 °C Storage -5 +50 °C PP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201 2CLC210150N180: 9AKK108467A7464 9AKK108467A3734 9AKK108468A3363
Environmental Ambient Air Temperature Degree of Protection ROHS Status ROHS Information REACH Declaration Environmental Information Conflict Minerals Reporting Template	Operation -5 +35 °C Storage -5 +50 °C IP2C Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CLC210150N1803 9AKK108467A7464 9AKK108468A3363

Certificates and Declarations	
Declaration of	9AKK106930A5900
Conformity - CE	

N2101.5 AN 3

Classifications		
ETIM 8	EC001590 - Installation switch	
ETIM 9	EC001590 - Installation switch	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85365080	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$





