

PRODUCT-DETAILS

N2214.5 AN

Card switch Anthracite - Zenit



Extended Product Type	N2214.5 AN
Product ID	2CLA221450N1801
EAN	8427238073491
Catalog Description	Card switch Anthracite - Zenit
Long Description	Color: Anthracite. Rated voltage: 110 - 250 Vac; 50/60 Hz Rated current: - Incandescent/halogen: 3.000W@230Vac / 1.600W@127Vac - Fluorescent: 1.300VA@230Vac / 700VA@127Vac - Fluorescent: 1.300VA@230Vac / 1.600VA@127Vac - Electronic and ferromag. transf. and motors: 3.000VA@230Vac / 1.600VA@127Vac For 54mm width cards Locator LED lamp included Time delayed switch: 5 - 90 seconds

- . . .

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Rated Voltage (U _r)	230 V

Instructions and Manuals

2CLX811459A1001

N2214.5 AN 2

Rated Current (I _n)	16 A
Frequency (f)	5060 Hz
Minimum Switching Capacity	30003000 W
Design Range	Zenit
Load Type	Universal
Mounting Type	Flush Mounted
Surface Finishing	Decor
3	Matt
Material	Plastic Thermoplastic
Color	Anthracite
Number of Batteries	0
Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CLC221450N1801
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template	9AKK108468A3363
(CMRT)	
Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.082 kg
Ordering	
Replaced Product ID (OLD)	2CLA221450N1802 2CLA221450N1803
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106930A5901
Classifications	
ETIM 8	EC001588 - Electronic switch
ETIM 9	EC001588 - Electronic switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
<u>CN8</u>	85365080

N2214.5 AN 3

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

