


PRODUCT-DETAILS

N2238 BL

Socket outlet White - Zenit



General Information

Extended Product Type	N2238 BL
Product ID	2CLA223801N1101
EAN	8427238171708
Catalog Description	Socket outlet White - Zenit
Long Description	Color: White. Rated voltage: 125 / 250 Vac. Rated current: 15 / 16 A. Type B+C: 2P / NEMA 5-15R. Shuttered for child safety. Screw terminals. Size: 2 modules.

Installation

Instructions and Manuals	2CLX210109N1001
--------------------------	-----------------

Technical

Data Sheet, Technical Information	9AKK10103A5108
Rated Voltage (U _r)	220 V

Rated Current (I _n)	15 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Design Range	Zenit
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	NEMA
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Legend	Without imprint
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CLC223801N1101
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm

Ordering

Replaced Product ID (OLD)	2CLA223801N1102 2CLA223800N1101 2CLA223800N1102 2CLA223800N1103
---------------------------	--

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 8	EC000125 - Socket outlet
--------	--------------------------

ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

