

PRODUCT-DETAILS

T2550 NG

Motorized workstation 2 faces anthracite Built-in Black - CEM



General Information	
Extended Product Type	T2550 NG
Product ID	2CLA255000T1901
EAN	8427238114767
Catalog Description	Motorized workstation 2 faces anthracite Built-in Black - CEM
Long Description	Frame for desk cut with lid ready to cover. Mechanised lifting of electrification body via highly sensitive membrane button. Electrification kit on both sides of the box consisting of 2 strips made of the following elements: 1) 5 socket outlets fully wired with 2,5 mm ² halogen free cable + 1 x 2 cat6 RJ45 connectors. 2) 4 socket outlets fully wired with 2,5 mm ² halogen free cable + 1 x cat6 RJ45 connector + 1 x VGA 15-pin female/female + 1 x 3,5 mm stereo minijack female/female. All connections are fully wired inside to their corresponding inputs. Power input through integrated male rapid connector built-in casing.

Installation

Instructions and Manuals

Technical

Subject to change without notice

No document needed

Data Sheet, Technical Information	No document needec
Number of Connections	Number of audio connections: 1 Number of CAT 5 connections: 0 Number of CAT 5E connections: 0 Number of CAT 6 connections: 4 Number of HDMI-connections: 0 Number of USB connections: 0
Number of Empty Module Positions	C
Design Range	CEM
Shape	Rectangula
Material	Aluminium
Model Number	Built-ir
Color	Black
Number of Batteries	C
Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Reporting Template	9AKK108468A3363
Reporting Template (CMRT)	
Reporting Template (CMRT) Dimensions	9AKK108468A3363 402 mm 224 mm
Reporting Template (CMRT) Dimensions Product Net Width	402 mm
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth /	402 mm 224 mm
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length	402 mm 224 mm 267.4 mm
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	402 mm 224 mm 267.4 mm 10.36 kg
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂)	402 mr 224 mr 267.4 mr 10.36 k 120 mr
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE Classifications	402 mm 224 mm 267.4 mm 10.36 kg 120 mm
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE Classifications ETIM 8	402 mm 224 mm 267.4 mm 10.36 kg 120 mm No declaration needed
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE Classifications ETIM 8 ETIM 8 ETIM 9	402 mm 224 mm 267.4 mm 10.36 kg 120 mm No declaration needed No declaration needed
Reporting Template (CMRT) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE Classifications ETIM 8	402 mm 224 mm 267.4 mm 10.36 kg 120 mm No declaration needed

Categories

 ${\sf Low \ Voltage \ Products \ and \ Systems \rightarrow Wiring \ Accessories \ - \ Light \ Switch \ Ranges \rightarrow Flush \ Mounted \ Inserts \rightarrow Socket \ Outlets}$



3