

PRODUCT-DETAILS

9522 PL

Motion sensor Silver



General Information

Extended Product Type	9522 PL
Product ID	2CLA952200A1301
EAN	8427238099767
Catalog Description	Motion sensor Silver
Long Description	Nominal voltage: 230 V~ ; 50 Hz. Power: 3680 W / VA. Detection angle: 220°. Time setting: 10 sec. - 30 min. Frontal detection: 16 m.

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Technical

Data Sheet, Technical Information	No document needed
Rated Voltage (U _r)	230 V
Input Voltage Type	AC

Current Range	Maximum 80 A
Maximum Control Current DC	16000 mA
Frequency (f)	50 ... 50 Hz
Maximum Switching Power	3680 W
Measuring Range	Diameter Detection range on floor 32 m
Design Range	Zenit
Delay Time (T)	On 10 second [unit of time] Off 1800 second [unit of time]
Minimum Switching Time	Switch-On 10 second [unit of time]
Connection Type	Screw
Mounting Type	Surface Mounted
Sensor Type	Passive infrared
Surface Finishing	Decor Matt
Material	Plastic Thermoplastic
Illuminance	0.5 ... 1000 lx
Model Number	Movement sensor
Color	Silver
Number of Batteries	0
Application Function	Electrical Load and Light Control

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP55
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	58 mm
Product Net Height	100 mm
Product Net Depth / Length	130 mm
Product Net Weight	0.309 kg

Ordering

Replaced Product ID (OLD)	2CL0952203
---------------------------	------------

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A2195
--------------------------------	-----------------

Classifications

ETIM 8	EC000133 - Movement sensor complete
ETIM 9	EC000133 - Movement sensor/presence detector complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Categories

Low Voltage Products and Systems → Wiring Accessories - StandAlone Electronics → Outdoor Movement Detector → Professional Series

