

PRODUCT-DETAILS

6136/APP-500

6136/APP-500 Busch-ControlTouch

Para comprar pero obsoleto, se reemplaza



Información General

Tipo de producto extendido	6136/APP-500
Código de producto	2CKA006136A0202
EAN	4011395212929
Descripción corta	6136/APP-500 Busch-ControlTouch

Descripción larga	<p>Simple KNX visualization for smartphones, tablets and Windows computers. MDRC devices with associated IOS and Android apps. Application for Windows computers. Easy control using intuitive navigation concept. Representation of individual operating pages with list view. Display of individual control pages with room images with small controls. Fully web-based commissioning with wizard function. Home automation, switching, dimming, blind, RTC control, scene/sequences, Sonos control element, timing, Philips Hue. Entertainment: Sonos - KNX bridging, multimedia integration via UPnP. Infotainment: monitoring of usage data for up to 3 years. Security: Video surveillance with IP cameras, notification via push notifications or e-mail (including a picture from an IP camera). Time programs and scenes can be created by the end customer. Presence simulation. . Access via KNXnet/IP tunnelling. Script editor for logic functions. LUA Script Editor. Highest degree of communication encryption between app, device and cloud. Compatible with ABB i-bus® KNX Control with smartphones and tablets via the ControlTouch app (Apple iOS /Google Android). External power supply: 5-36 VDC (SELV).</p>
-------------------	---

Installation

Instrucciones y manuales	2CKA000173B8888
--------------------------	-----------------

Technical

Ficha técnica, información técnica	2CKA001373B8903
Tensión nominal (U _r)	5...36 V
Tensión de entrada (U _{in})	24 V
Interfaz de comunicación	Multiple interface
Sistemas de bus compatibles	KNX
Gama de productos	KNX
Tipo de montaje	Surface Mounted
Posición de montaje	Horizontal
Número de pilas	0

Ambiente

Temperatura ambiente	Funcionamiento 0...70 °C
Grado de protección	IP20
Estado de RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Información sobre RoHS	2CKA200000E4646
Declaración REACH	2CKA309999E9999

Dimensiones

Anchura en número de espacios modulares	4
Peso del product	100 g

Clasificación

ID del producto de sustitución (NUEVO)	2CKA006136A0218
ID de producto sustituido (ANTIGUO)	6136-0-0202

Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	2CKA100000E1187
---------------------------------	-----------------

Clasificaciones

Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91

Categorías

Productos y sistemas de baja tensión → Building and Home Automation Solutions → KNX → Visualisation, Display and Signalling
→ Visualisation

