


PRODUCT-DETAILS

# TBR/U4.7.1-CG

## TBR/U4.7.1-CG Control element 4g. w. RTC



### Información General

Tipo de producto extendido	TBR/U4.7.1-CG
Código de producto	2CKA006300A1545
EAN	4011395230794
Descripción corta	TBR/U4.7.1-CG Control element 4g. w. RTC

Descripción larga	<p>Freely configurable multifunction control element. The icons and/or texts are configured by means of a web configuration tool. With integrated proximity function. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function). The controller is a constant room temperature controller for ventilator convectors (fan coils) in 2-pipe and 4-pipe systems and conventional heating or cooling systems. The fan stage can be switched manually or in automatic mode. Class of temperature controller 1 Contribution to space heating energy efficiency 1,0%. With integrated KNX bus coupler. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p>
-------------------	---

### Installation

Instrucciones y manuales	No document needed
--------------------------	--------------------

### Technical

Ficha técnica, información técnica	No document needed
Número de LED	1
Número máximo de salidas de conmutación	35
Sistemas de bus compatibles	KNX (TP)
Gama de productos	KNX
Design Range	tacteo
Tipo de montaje	Surface Mounted
Acabado de superficie	Untreated Glossy
Material	Glass
Número de pilas	0
Función de la aplicación	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

## Ambiente

Temperatura ambiente	Funcionamiento -5 ... +45 °C
Grado de protección	IP20
Estado de RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Información sobre RoHS	2CKA200000E5457
Declaración REACH	2CKA309999E9999
Clase de temperatura por defecto	I
Plantilla de notificación de minerales de conflicto (CMRT)	9AKK108468A3363

## Dimensiones

Ancho del product	86 mm
Alto del producto	157 mm
Largo del product	34 mm
Peso del product	171.5 g

## Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	2CKA100000E2530
---------------------------------	-----------------

## Clasificaciones

ETIM 8	EC001101 - Room temperature controller for bus system
ETIM 9	EC001101 - Room temperature controller for bus system
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	9032 10 20
Clase electrónica	V11.0 : 27143133

---

## Categorías

---

Productos y sistemas de baja tensión → Building and Home Automation Solutions → KNX → User Operation → ABB tacteo® → 4 fold with Room Thermostat

