


PRODUCT-DETAILS

TR/U 1.1.ZA

TR/U 1.1.ZA Card Reader Zenit Anthracite



Información General

Tipo de producto extendido	TR/U 1.1.ZA
Código de producto	2CSY249500R5000
EAN	8012542356837
Descripción corta	TR/U 1.1.ZA Card Reader Zenit Anthracite

Descripción larga	<p>The "transponder reader" is a flush-mounting device for British Standard wall boxes, designed to realize access control systems with a communication support based on KNX bus. It is equipped with one relay (4A @24 V AC/DC) and one input to be used for connecting external conventional card-holder (e.g. Zenit wiring accessories card-holder). The output can be programmed in three different ways: "Linked to access control", receiving in this case switching commands from the device itself (according to transponder card validation); being a standard KNX Switch actuator output, able to be controlled by every KNX standard devices; "linked to card-holder", that means that the relay is switched according to closing/opening internal input contact available on transponder reader. The bicolor (red-green) LED placed on the front of the device allow you to monitor device operation and can be also switched ON/OFF in the proper color according to KNX telegram (for example for DND/MUR purposes). The transponder reader can be configured with ABB Access control software in order to behave as transponder programming device. The transponder reader requires a 12...24 V AC/DC external power supply to ensure its operation even with bus voltage failure.</p>
-------------------	---

Installation

Instrucciones y manuales	2CKA001473B5155
--------------------------	-----------------

Technical

Ficha técnica, información técnica	2CKA000173B5036
Tipo de fuente de alimentación	Integrated
Gama de productos	KNX
Número de modelo	Card Reader
Color	Anthracite
Función de la aplicación	Hospitality

Ambiente

Plantilla de notificación de minerales de conflicto (CMRT)	9AKK108468A3363
--	-----------------

Dimensiones

Ancho del product	44 mm
Alto del producto	43 mm
Largo del product	44 mm
Peso del product	0.050 kg
Profundidad incorporada (t ₂)	43 mm

Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	2CSC500009D2701
---------------------------------	-----------------

Clasificaciones

ETIM 8	EC002971 - System device clinic-installation
ETIM 9	EC002971 - System device clinic-installation
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categorías

Productos y sistemas de baja tensión → Building and Home Automation Solutions → KNX → User Operation → Zenit / Olas → Transponder Readers and Card Holders

