


PRODUCT-DETAILS

# SA/S8.10.2.2

## SA/S8.10.2.2 Switch Actuator, 8-fold, 10 A, MDRC



### Informations générales

Extension du type de produit	SA/S8.10.2.2
Code de produit	2CDG110259R0011
EAN	4016779066594
Description courte	SA/S8.10.2.2 Switch Actuator, 8-fold, 10 A, MDRC
Description longue	The switch actuator uses potential free contacts to switch 8 independent electrical loads via the ABB i-bus® KNX. The device features a manual operation and displaying of the switching state of the outputs. The 10 A device is especially suited for loads with high surge currents e.g. fluorescent lighting acc. EN 60669. The device is powered by KNX and requires no additional power supply.

### Installation

Instructions et manuels	2CDG941214P0001
-------------------------	-----------------

### Technique

Fiche produit, informations techniques	2CDC505190D0211
Voltage Range	230 V AC
Auxiliary Voltage AC/DC	KNX

Tension de sortie (U <sub>out</sub> )	230 V AC
Courant nominal (I <sub>n</sub> )	10 A
Maximum Switching Current	10 A
Maximum Switching Power	2500 W
Power Loss	2.5 W
Contact Position Indication	ON / OFF
Nombre de sorties	8
Nombre de LED	1
Maximum Number of Switching Outputs	8
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Type de montage	DIN-Rail
Manual Operation	Non
Suitable for C-Load	Non
Couleur	light grey
Nombre de batteries	0
Application Function	Electrical Load and Light Control

## Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK505257D2701
REACH Declaration	9AKK108468A9644
SCIP	c5ff877b-1fdf-4042-8167-4027e2beea3b Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	8
Produit Largeur Net	140 mm
Produit Hauteur Net	90 mm
Produit Longueur Net	63.5 mm
Poids net	0.406 kg
Profondeur d'encastrement (t <sub>2</sub> )	64.5 mm
Schéma dimensionnel	2CDC072027F0017

## Commande

ID du produit remplacé	2CDG110157R0011
------------------------	-----------------

## Certificats et Déclarations (Numéro de document)



CB Certificate	9AKK107991A3224
Déclaration de Conformité - CE	2CDK505257D2701

## Classifications

ETIM 8	EC001097 - Switch actuator for bus system
ETIM 9	EC001097 - Switch actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91
UNSPSC	31251516
eClass	V11.0 : 27143125
Code de catégorie granulaire IDEA (IGCC)	3268 >> Switch actuator

## Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 10 A



360°