

PRODUCT-DETAILS

6126/98-509

6126/98-509 Switch Sensor 2/4gang



Informations générales

| | |
|------------------------------|-----------------------------------|
| Extension du type de produit | 6126/98-509 |
| Code de produit | 2CKA006116A0219 |
| EAN | 4011395157855 |
| Description courte | 6126/98-509 Switch Sensor 2/4gang |

Description longue

For ABB i-bus® KNX Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The accompanying symbol can be replaced by the symbols for lighting, blinds, room thermostat, scene and FanCoil. Push switch function: switching / dimming / blind / sending values / scenes etc. Incl. 10 logic channels (light scene actuator, sequence actuator, logic gates, etc.).

Installation

| | |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

Technique

| | |
|--|--------------------|
| Fiche produit, informations techniques | No document needed |
|--|--------------------|

| | |
|----------------------------|--|
| Number of Actuation Points | 4 |
| Compatible Bus Systems | KNX (TP) |
| Product Range | KNX |
| Design Range | Millenium |
| Type de montage | Flush Mounted |
| Finition de surface | Surface protection: Untreated Surface finishing: Glossy |
| Matériau | Thermoplastic |
| Couleur | other |
| Nombre de batteries | 0 |
| Application Function | Electrical Load and Light Control |

Environnement

| | |
|---|--|
| Température de l'air ambiant | Operation -5 ... +45 °C |
| Indice de protection | IP20 |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Informations RoHS | 2CKA200000E4428 |
| REACH Declaration | 2CKA309999E9999 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|-----------|------|
| Poids net | 43 g |
|-----------|------|

Commande

| | |
|------------------------|-------------|
| ID du produit remplacé | 6116-0-0219 |
|------------------------|-------------|

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CKA100000E0926 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|--|
| ETIM 8 | EC000672 - Touch sensor for bus system |
| ETIM 9 | EC000672 - Touch sensor for bus system |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8538 90 99 |
| eClass | V11.0 : 27143138 |

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → Zenit / Olas → 2/4 fold

