

PRODUCT-DETAILS

6179/02-204-500

6179/02-204-500 Busch-Watchdog 220 KNX pre



### Informations générales

Extension du type de produit	6179/02-204-500
Code de produit	2CKA006132A0317
EAN	4011395168615
Description courte	6179/02-204-500 Busch-Watchdog 220 KNX pre
Description longue	<p>With 4 movement channels. With 1 twilight / brightness channel with 3 switching thresholds. With 1 temperature channel with three switching thresholds. With 7-channel IR remote control. Remote control possible via IR remote control KNX 6179 (included in scope of delivery). With integrated KNX bus coupler. No additional power supply necessary. Surveillance density: 92 sectors with 368 switching segments. Twilight sensor: approx. 1 - 1000 lux Brightness sensor: approx. 1 - 80 klux. Temperature sensor: approx. -25 to +55 °C Switch-off delay: approx. 10 sec to 1092 min Sensor angle: 220° Range: approx. 16 m</p>

### Installation

Instructions et manuels	2CKA000073B7898
-------------------------	-----------------

### Technique

Fiche produit, informations	2CKA001373B8035
-----------------------------	-----------------

## techniques

Fonction	Activating/deactivating 2-zone operation Activating/deactivating twilight switch operation Adjusting the sensitivity Brightness sensor Build-in RTC Logic functions Temperature sensor Twilight sensor
Number of Channels	4
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Minimum Switching Time	Switch-On 10 second [unit of time]
Type de montage	Surface Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
Type d'encastrement	Wall mounted installation
Model Number	Movement sensor
RAL Number	RAL 9016 - Blanc signalisation
Couleur	alpine white
Composition chimique de la batterie	Lithium
Type de batterie	Pile bouton
Poids de la batterie	2.5 g
Nombre de batteries	1
Application Function	Electrical Load and Light Control

---

**Environnement**

Température de l'air ambiant	Operation -25 ... +55 °C
Indice de protection	IP55
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4499
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

**Dimensions**

Produit Largeur Net	125 mm
Produit Hauteur Net	115 mm
Produit Longueur Net	141 mm
Poids net	317 g
Profondeur d'encastrement (t <sub>2</sub> )	0 mm

---

## Commande

---

ID Produit de remplacement (NOUVEAU)	2CKA006132A0427
ID du produit remplacé	6132-0-0317

---



---

## Certificats et Déclarations (Numéro de document)

---

Déclaration de Conformité - CE	2CKA100000E1028
--------------------------------	-----------------

---



---

## Classifications

---

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

---



---

## Accessories

---

Identifiant	Description	Type	Quantity	Unit Of Measure
2CKA006132A0320	6179-500 BW IR remote control KNX	6179-500	1	piece
2CKA006800A2562	Adapter MasterLINE white	6868-204-500	1	piece

---



---

## Catégories

---

Produits basse tension → Home and Building Automation → KNX → Presence Detection → Motion Detectors

