

PRODUCT-DETAILS

6179/02-208-500

6179/02-208-500 Busch-Watchdog 220 KNX pre



### Informations générales

Extension du type de produit	6179/02-208-500
Code de produit	2CKA006132A0318
EAN	4011395168622
Description courte	6179/02-208-500 Busch-Watchdog 220 KNX pre
Description longue	<p>With 4 movement channels. With 1 twilight / brightness channel with 3 switching thresholds. With 1 temperature channel with three switching thresholds. With 7-channel IR remote control. Remote control possible via IR remote control KNX 6179 (included in scope of delivery). With integrated KNX bus coupler. No additional power supply necessary. Surveillance density: 92 sectors with 368 switching segments. Twilight sensor: approx. 1 - 1000 lux Brightness sensor: approx. 1 - 80 klux. Temperature sensor: approx. -25 to +55 °C Switch-off delay: approx. 10 sec to 1092 min Sensor angle: 220° Range: approx. 16 m</p>

### Installation

Instructions et manuels	DEBJE-0073-1-7898
-------------------------	-------------------

### Technique

Fiche produit, informations	2CKA001373B8035
-----------------------------	-----------------

## techniques

Fonction	Activating/deactivating 2-zone operation Activating/deactivating twilight switch operation Adjusting the sensitivity Brightness sensor Build-in RTC Logic functions Temperature sensor Twilight sensor
Number of Channels	4
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Minimum Switching Time	Switch-On 10 second [unit of time]
Type de montage	Surface Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
Type d'encastrement	Wall mounted installation
Model Number	Movement sensor
Couleur	silver metallic
Composition chimique de la batterie	Lithium
Type de batterie	Pile bouton
Poids de la batterie	2.5 g
Nombre de batteries	1
Application Function	Electrical Load and Light Control

---

**Environnement**


---

Température de l'air ambiant	Operation -25 ... +55 °C
Indice de protection	IP55
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4500
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---



---

**Dimensions**


---

Produit Largeur Net	125 mm
Produit Hauteur Net	115 mm
Produit Longueur Net	141 mm
Poids net	317 g
Profondeur d'encastrement (t <sub>2</sub> )	0 mm

---

---

## Commande

---

ID Produit de remplacement (NOUVEAU)	2CKA006132A0426
ID du produit remplacé	6132-0-0318

---



---

## Certificats et Déclarations (Numéro de document)

---

Déclaration de Conformité - CE	2CKA100000E1029
--------------------------------	-----------------

---



---

## Classifications

---

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

---



---

## Accessories

---

Identifiant	Description	Type	Quantity	Unit Of Measure
2CKA006132A0320	6179-500 BW IR remote control KNX	6179-500	1	piece
2CKA006800A2563	Adapter MasterLINE silver metallic	6868-208-500	1	piece

---



---

## Catégories

---

Produits basse tension → Home and Building Automation → KNX → Presence Detection → Motion Detectors

