

PRODUCT-DETAILS

6136/07-811-500

6136/07-811-500 SmartTouch 7 -811

à vendre, mais "obsolète", remplacé



Informations générales

Extension du type de produit	6136/07-811-500
Code de produit	2CKA006136A0205
EAN	4011395223437
Description courte	6136/07-811-500 SmartTouch 7 -811

Description longue	<p>Free programmable KNX touch display as room-integrated controlling, signalling and regulating unit. To be used as indoor video station for the ABB-Welcome door communication system. For the illustration and operation of the following KNX standard functions: - Switching - Dimming - Slider - Blind - RGBW control element - Step switch - Scene switch - Display element - Audio control element With scene function, logic functions, presence simulation and time programs. Functions: - 480 KNX control elements - maximum 30 pages - 80 fault and alarm messages - 30 logic functions - 30 timers - presence simulation for 20 participants - 10 scene actuators - 1 RTC object Equipped with a hearing loop for coupling the audio signal into hearing aids. Page display with a maximum of 16 touch surfaces on one page. External power supply: 20-32 VDC (SELV) or via the ABB-Welcome system controller. Consumer units: 15</p>
--------------------	---

Installation

Instructions et manuels	2CKA000073B8951
-------------------------	-----------------

Technique

Fiche produit, informations techniques	2CKA001373B9264
Tension nominale (U _r)	20 ... 32 V
Auxiliary Voltage AC/DC	24 V DC
Compatible Bus Systems	KNX (TP) Welcome
Product Range	KNX
Type d'affichage	Colour
Type de montage	Flush Mounted Surface Mounted
Qualité du matériau	Plastic
Matériau	Glass
Type d'encastrement	horizontal
RAL Number	Similar to RAL 9016
Couleur	white
Nombre de batteries	0
Taille d'écran	7 in

Environnement

Température de l'air ambiant	Operation 0 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4649
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	246 mm
Produit Hauteur Net	165 mm
Produit Longueur Net	25 mm
Poids net	717 g
Profondeur d'encastrement (t ₂)	15 mm

Commande

ID Produit de remplacement (NOUVEAU)	2TMA310051W0001 2TMA310051W0002 2TMA310051W0003 2TMA310051W0004
ID du produit remplacé	6136-0-0205

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

2CKA100000E0597

Classifications

ETIM 8	EC000783 - Signalling and operation panel for bus system
ETIM 9	EC000783 - Signalling and operation panel for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91
eClass	V11.0 : 27143101

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006136A0212	6136/07 UP-500 Mounting box FM	6136/07 UP-500	1	piece
2CKA006136A0210	6136/27-825-500 Adapter frame -825	6136/27-825-500	1	piece
2CKA008300A0478	83506-500 Desktop stand	83506-500	1	piece

Catégories

Produits basse tension → Home and Building Automation → KNX → Visualisation, Display and Signalling → Touch Panels

