

PRODUCT-DETAILS

MSA-F-1.1.PB.1

MSA-F-1.1.PB.1 MovDetect/actuator 1g, 44



Informations générales

Extension du type de produit	MSA-F-1.1.PB.1
Code de produit	2CKA006220A0231
EAN	4011395187340
Description courte	MSA-F-1.1.PB.1 MovDetect/actuator 1g, 44

Description longue	<p>With select lens for detection with animal access. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.</p>
--------------------	---

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
--	--------------------

Courant nominal (I_n)	10 A
Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home (TP)
Product Range	free@home
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Type d'encastrement	vertical
Model Number	Movement sensor
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5001
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	46 mm
Produit Hauteur Net	47.7 mm
Produit Longueur Net	44 mm
Poids net	52 g
Profondeur d'encastrement (t_2)	32 mm

Commande

ID du produit remplacé	6220-0-0231
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1389
--------------------------------	-----------------

Classifications

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

Catégories

Produits basse tension → Home and Building Automation → free@home → Lighting Control → Motion Detectors

