


PRODUCT-DETAILS

TLM/U.2.1-CG

TLM/U.2.1-CG ROS/CR



Informations générales

Extension du type de produit	TLM/U.2.1-CG
Code de produit	2CKA006300A1587
EAN	4011395231241
Description courte	TLM/U.2.1-CG ROS/CR

Description longue

Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. For reading mifare RF cards. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. With integrated KNX bus coupler. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Type de montage	Surface Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Matériau	Glass
Model Number	Chip card
Poids de la batterie	0 g
Application Function	Hospitality

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5490
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	86 mm
Produit Hauteur Net	115 mm
Produit Longueur Net	34 mm
Poids net	120 g

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E4229
--------------------------------	-----------------

Classifications

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
CN8	8536 50 80
eClass	V11.0 : 27143141

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB tacteo® → Room Numbers and Corridor Sensors

