

PRODUCT-DETAILS

T2214 AN

Minicolumn 4XSO+1X2RJ45 AN Surface mounting Grey - CEM



Informations générales

Extension du type de produit	T2214 AN
Code de produit	2CLA221400T1801
EAN	8427238114101
Description courte	Minicolumn 4XSO+1X2RJ45 AN Surface mounting Grey - CEM
Description longue	<p>4 Socket outlets fully wired with 2,5mm² halogen free cable. 1 cover for 2 RJ45 connectors compatible with Keystone system (connectors not included). Space for organizing cables. Possibility to adapt the organizer tube in the top cover. Mounted on aluminium profile.</p>

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
Number of Connections	Number of audio connections: 0 Number of CAT 5 connections: 0 Number of CAT 5E connections: 0 Number of CAT 6 connections: 2

	Number of HDMI-connections: 0 Number of USB connections: 0
Number of Empty Module Positions	0
Design Range	CEM
Shape	Rectangular
Matériau	Aluminium
Model Number	Surface mounting
Couleur	Grey
Nombre de batteries	0
Application Function	Data Communication / Multimedia

Environnement

Température de l'air ambiant	Operation -5 ... +35 °C Storage -5 ... +50 °C
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CLC221400T1801
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	155 mm
Produit Hauteur Net	522 mm
Produit Longueur Net	92 mm
Poids net	1.984 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	9AKK107046A6829
--------------------------------	-----------------

Classifications

ETIM 8	EC002759 - Desk connecting unit
ETIM 9	EC002759 - Desk connecting unit
Catégorie DEEE	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369001

Catégories

Produits basse tension → Wiring Accessories - Light Switch Ranges → Surface Mounted Range → Multimedia Devices

