


PRODUCT-DETAILS

# 8118

## Data outlet RJ45 1gang No color




---

### Informations générales

Extension du type de produit	8118
Code de produit	2CLA811800A1001
EAN	8427238137889
Description courte	Data outlet RJ45 1gang No color
Description longue	RJ45 type connector Cat.5e UTP In compliance with ANSI/TIA/EIA 568B.2 , ISO/IEC11801 & EN50173 Universal TIA/EIA 568A and 568B labeling Housing: ABS UL-94-0 Durability: 750 cycles min. (ISO/IEC 11801, IEC 60603-7-4) IDC: PC UL94V-0, Accept 22-26AWG solid wire Contact: RJ45 8P8C, 3150 micro-inch gold plating over nickel plated on contact area Tool-less wiring Without fixing claws Cover plate code: 8517

---

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

---

### Technique

Fiche produit, informations techniques	9AKK107046A0356
Application	RJ45
Design Range	Platform 8100 Alba Sky Niessen
Type de montage	Flush Mounted
Type of Fastening	Mounting with Screw
Outlet Orientation	Straight
Couleur	No color
Nombre de batteries	0
Application Function	Data Communication / Multimedia

## Environnement

Température de l'air ambiant	Operation -5 ... +35 °C Storage -5 ... +50 °C
Indice de protection	IP20
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Produit Largeur Net	0.156 m
Produit Hauteur Net	0.08 m
Produit Longueur Net	0.245 m
Poids net	0.044 kg

## Commande

ID du produit remplacé	2CL0811800
------------------------	------------

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	No declaration needed
--------------------------------	-----------------------

## Classifications


ETIM 8	EC000018 - Insert/cover for communication technology
ETIM 9	EC000018 - Insert/cover for communication technology
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010
UNSPSC	39121463

---

## Catégories

---

Produits basse tension → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Data / Telecommunication / Antenna



360°