

PRODUCT-DETAILS

9522 PL

Motion sensor Silver



Informations générales

Extension du type de produit	9522 PL
Code de produit	2CLA952200A1301
EAN	8427238099767
Description courte	Motion sensor Silver
Description longue	Nominal voltage: 230 V~ ; 50 Hz. Power: 3680 W / VA. Detection angle: 220°. Time setting: 10 sec. - 30 min. Frontal detection: 16 m.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
--	--------------------

Tension nominale (U _r)	230 V
Type de tension	AC
Current Range	Maximum 80 A
Maximum Control Current DC	16000 mA
Fréquence (f)	50 ... 50 Hz
Maximum Switching Power	3680 W
Plage de mesure	Diameter Detection range on floor 32 m
Design Range	Zenit
Délai (T)	On 10 second [unit of time] Off 1800 second [unit of time]
Minimum Switching Time	Switch-On 10 second [unit of time]
Type de raccordement	Screw
Type de montage	Surface Mounted
Sensor Type	Passive infrared
Finition de surface	Decor Matt
Matériau	Plastic Thermoplastic
Flux lumineux	0.5 ... 1000 lx
Model Number	Movement sensor
Couleur	Silver
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +35 °C Storage -5 ... +50 °C
Indice de protection	IP55
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	58 mm
Produit Hauteur Net	100 mm
Produit Longueur Net	130 mm
Poids net	0.309 kg

Commande

ID du produit remplacé	2CL0952203
------------------------	------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

9AKK106930A2195

Classifications

ETIM 8	EC000133 - Movement sensor complete
ETIM 9	EC000133 - Movement sensor/presence detector complete
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Catégories

Produits basse tension → Wiring Accessories - StandAlone Electronics → Outdoor Movement Detector → Professional Series

