

PRODUCT-DETAILS

6342-24G-101-500

6342-24G-101-500 Control element 3-gang



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | 6342-24G-101-500 |
| Code de produit | 2CKA006310A0125 |
| EAN | 4011395131084 |
| Description courte | 6342-24G-101-500 Control element 3-gang |
| Description longue | Free programmable multi-function control element. For installation in the 1gang, 2gang and 3gang support frame (6346/10-101, 6346/11-101 and 6346/12-101) Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The accompanying symbol can be replaced by the symbols for lighting (6353/20-xxx), blinds (6353/30-xxx), Thermostat (6353/40-xxx) and scene (6353/50-xxx). For the setting and control of the RTR functions and texts of the display RTR, IR, and proximity sensor end strip (6351/0x-821). |

Installation

| | |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

Technique

| | |
|--|-----------------|
| Fiche produit, informations techniques | 2CKA001373B8687 |
| Number of Buttons | 3 |

| | |
|----------------------------|--|
| Number of Actuation Points | 3 |
| Compatible Bus Systems | KNX (TP) |
| Product Range | KNX |
| Type de montage | Flush Mounted |
| Finition de surface | Surface protection: Untreated Surface finishing: Glossy |
| Matériau | Duroplast |
| RAL Number | RAL 9016 - Blanc signalisation |
| Couleur | studio white |
| Nombre de batteries | 0 |
| Application Function | Electrical Load and Light Control |

Environnement

| | |
|---|--|
| Température de l'air ambiant | Operation -5 ... +45 °C |
| Indice de protection | IP20 |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Informations RoHS | 2CKA200000E5554 |
| REACH Declaration | 2CKA309999E9999 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|----------------------|--------|
| Produit Largeur Net | 107 mm |
| Produit Hauteur Net | 71 mm |
| Produit Longueur Net | 15 mm |
| Poids net | 77 g |

Commande

| | |
|------------------------|-------------|
| ID du produit remplacé | 6310-0-0125 |
|------------------------|-------------|

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CKA100000E1478 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|--|
| ETIM 8 | EC000672 - Touch sensor for bus system |
| ETIM 9 | EC000672 - Touch sensor for bus system |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8538 90 99 |
| eClass | V11.0 : 27143138 |

| Accessories | | | | | |
|-----------------|--|------------------|----------|-----------------|--|
| Identifier | Description | Type | Quantity | Unit Of Measure | |
| 2CKA006310A0135 | 6346/10-101-500 Support frame 1-gang | 6346/10-101-500 | 1 | piece | |
| 2CKA006310A0137 | 6346/11-101-500 Support frame 2-gang | 6346/11-101-500 | 1 | piece | |
| 2CKA006310A0139 | 6346/12-101-500 Support frame 3-gang | 6346/12-101-500 | 1 | piece | |
| 2CKA006120A0075 | 6120/12-101-500 Bus coupler, FM | 6120/12-101-500 | 1 | piece | |
| 2CKA006120A0072 | 6120/13-500 Power bus coupler, FM | 6120/13-500 | 1 | piece | |
| 2CDG120037R0011 | CP-D24/2.5 priOn Power Supply, 24 V DC, 2.5 A, MDRC | CP-D24/2.5 | 1 | piece | |
| 2CKA006133A0201 | 6149/21-500 Programming Interface/Adapter | 6149/21-500 | 1 | piece | |
| 2CKA006310A0147 | 6348-24G-101-500 Upper end strip | 6348-24G-101-500 | 1 | piece | |
| 2CKA006310A0178 | 6348-811-101-500 Upper end strip | 6348-811-101-500 | 1 | piece | |
| 2CKA006310A0146 | 6348-825-101-500 Upper end strip | 6348-825-101-500 | 1 | piece | |
| 2CKA006310A0144 | 6348-860-101-500 Upper end strip | 6348-860-101-500 | 1 | piece | |
| 2CKA006310A0157 | 6350-825-101-500 Upper end strip, IR | 6350-825-101-500 | 1 | piece | |
| 2CKA006310A0155 | 6349-24G-101-500 Lower end strip | 6349-24G-101-500 | 1 | piece | |
| 2CKA006310A0180 | 6349-811-101-500 Lower end strip | 6349-811-101-500 | 1 | piece | |
| 2CKA006310A0154 | 6349-825-101-500 Lower end strip | 6349-825-101-500 | 1 | piece | |
| 2CKA006310A0152 | 6349-860-101-500 Lower end strip | 6349-860-101-500 | 1 | piece | |
| 2CKA006310A0165 | 6352-24G-101-500 Lower end strip, Temperature sensor | 6352-24G-101-500 | 1 | piece | |
| 2CKA006310A0182 | 6352-811-101-500 Lower end strip, Temperature sensor | 6352-811-101-500 | 1 | piece | |
| 2CKA006310A0164 | 6352-825-101-500 Lower end strip, Temperature sensor | 6352-825-101-500 | 1 | piece | |
| 2CKA006310A0162 | 6352-860-101-500 Lower end strip, Temperature sensor | 6352-860-101-500 | 1 | piece | |
| 2CKA006310A0183 | 6351/08-825-500 Upper end strip, RTC | 6351/08-825-500 | 1 | piece | |

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → Busch-priOn® → Standard Control Elements



360