

PRODUCT-DETAILS

6136/APP-500

6136/APP-500 Busch-ControlTouch

In vendita ma "Obsoleto". sostituito da



Informazioni generali

Tipo	6136/APP-500
ID prodotto	2CKA006136A0202
EAN	4011395212929
Descrizione catalogo	6136/APP-500 Busch-ControlTouch

Descrizione	<p>Simple KNX visualization for smartphones, tablets and Windows computers. MDRC devices with associated IOS and Android apps. Application for Windows computers. Easy control using intuitive navigation concept. Representation of individual operating pages with list view. Display of individual control pages with room images with small controls. Fully web-based commissioning with wizard function. Home automation, switching, dimming, blind, RTC control, scene/sequences, Sonos control element, timing, Philips Hue. Entertainment: Sonos - KNX bridging, multimedia integration via UPnP. Infotainment: monitoring of usage data for up to 3 years. Security: Video surveillance with IP cameras, notification via push notifications or e-mail (including a picture from an IP camera). Time programs and scenes can be created by the end customer. Presence simulation. . Access via KNXnet/IP tunnelling. Script editor for logic functions. LUA Script Editor. Highest degree of communication encryption between app, device and cloud. Compatible with ABB i-bus® KNX Control with smartphones and tablets via the ControlTouch app (Apple iOS /Google Android). External power supply: 5-36 VDC (SELV).</p>
-------------	---

Installation

Istruzioni e manuali	2CKA000173B8888
----------------------	-----------------

Dati tecnici

Scheda tecnica	2CKA001373B8903
Tensione nominale (U _r)	5...36 V
Tensione d'ingresso (U _{in})	24 V
Interfaccia comunicazione	Multiple interface
Sistemi bus compatibili	KNX
Gamma prodotto	KNX
Tipo di montaggio	Surface Mounted
Posizione di montaggio	Horizontal
Number of Batteries	0

Dati ambientali

Temperatura ambiente	In funzione 0...70 °C
Grado di protezione	IP20
Dichiarazione RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informazioni RoHS	2CKA200000E4646
REACH Declaration	2CKA309999E9999

Dimensioni

Larghezza in numero di intervalli modulari	4
Peso netto prodotto	100 g

Ordinazione

ID prodotto in sostituzione (NUOVO)	2CKA006136A0218
ID prodotto sostituito (VECCHIO)	6136-0-0202

Certificati e dichiarazioni (numero del documento)

Dichiarazione di conformità - CE	2CKA100000E1187
----------------------------------	-----------------

Classificazioni

Categoria RAEE	5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	8537 10 91

Categorie

Prodotti di bassa tensione → Automazione case ed edifici → KNX → Visualisation, Display and Signalling → Visualisation

