


PRODUCT-DETAILS

TKM/U-CG

TKM/U-CG Card holder prog.



Informazioni generali

Tipo	TKM/U-CG
ID prodotto	2CKA006300A1650
EAN	4011395297346
Descrizione catalogo	TKM/U-CG Card holder prog.

Descrizione	<p>Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: tacteo-configurator.my.busch-jaeger.de. Individual configuration with logos and/or ICONs and/or colours according to customer specifications. For inserting and evaluating of mifare RF cards. With integrated KNX bus coupler. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p>
-------------	--

Installation

Istruzioni e manuali	No document needed
----------------------	--------------------

Dati tecnici

Scheda tecnica	No document needed
Tensione nominale (U _n)	12 ... 24 V
Tensione ausiliaria AC/DC	12 V

	24 V AC/DC
Corrente nominale (I _n)	4 A
Numero di uscite	1
Sistemi bus compatibili	KNX (TP)
Gamma prodotto	KNX
Design Range	tacteo
Tipo di carico	AC/DC
Tipo di montaggio	Surface Mounted
Battery Weight	0 g
Application Function	Hospitality

Dati ambientali

Temperatura ambiente	In funzione -5 ... +45 °C
Grado di protezione	IP20
Dichiarazione RoHS	Secondo la Direttiva CE 2002/95/CE 18 Agosto, 2005 e emendamenti
Informazioni RoHS	9AKK104295D8727
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensioni

Larghezza prodotto	86 mm
Altezza prodotto	86 mm
Profondità prodotto	34 mm
Peso netto prodotto	104.4 g

Certificati e dichiarazioni (numero del documento)

Dichiarazione di conformità - CE	2CKA100000E4199
----------------------------------	-----------------

Classificazioni

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
Categoria RAEE	5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	8536 50 80
eClass	V11.0 : 27143141

Categorie

Prodotti di bassa tensione → Automazione case ed edifici → KNX → User Operation → ABB tacteo® → Transponder Readers and Card Holders

