

PRODUCT-DETAILS

# T2423 AN

## Surface works. 3XSO+1Xspace AN Surface mounting Black - CEM



### Informazioni generali

|                      |  |
|----------------------|--|
| Tipo                 | T2423 AN   |
| ID prodotto          | 2CLA242300T1801  |
| EAN                  | 8427238114545  |
| Descrizione catalogo | Surface works. 3XSO+1Xspace AN Surface mounting Black - CEM  |
| Descrizione          | <p>3 Socket outlets fully wired with 2,5mm<sup>2</sup> halogen free cable.<br/>           1 empty space for customization with VDI connectors (cover plate and connectors not included).<br/>           Power input through built-in male rapid connector.<br/>           Mounted on aluminium profile.<br/>           Set of detachable raised mounting brackets.</p> |

### Installation

|                      |                    |
|----------------------|--------------------|
| Istruzioni e manuali | No document needed |
|----------------------|--------------------|

### Dati tecnici

|                                  |                    |
|----------------------------------|--------------------|
| Scheda tecnica                   | No document needed |
| Number of Empty Module Positions | 0                  |
| Design Range                     | CEM                |

|                     |                  |
|---------------------|------------------|
| Forma               | Rectangular      |
| Materiale           | Aluminium        |
| Model Number        | Surface mounting |
| Colore              | Black            |
| Number of Batteries | 0                |

### Dati ambientali

|   |  |
|---|--|
| Temperatura ambiente                        | In funzione -5 ... +35 °C<br>In magazzino -5 ... +50 °C                |
| Dichiarazione RoHS                          | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Informazioni RoHS                           | 2CLC242300T1801  |
| REACH Declaration                           | 9AKK108467A7464  |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

### Dimensioni

|                     |          |
|---------------------|----------|
| Larghezza prodotto  | 328.4 mm |
| Altezza prodotto    | 84 mm    |
| Profondità prodotto | 54 mm    |
| Peso netto prodotto | 0.703 kg |

### Certificati e dichiarazioni (numero del documento)

|                                  |                       |
|----------------------------------|-----------------------|
| Dichiarazione di conformità - CE | No declaration needed |
|----------------------------------|-----------------------|

### Classificazioni

|                        |   |
|------------------------|---|
| ETIM 8                 | EC002759 - Desk connecting unit   |
| ETIM 9                 | EC002759 - Desk connecting unit   |
| Categoria RAEE         | 5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm) |
| CN8                    | Business To Consumer  |
| Tipo di oggetto design | 85369001  |

### Categorie

Prodotti di bassa tensione → Wiring Accessories - Light Switch Ranges → Surface Mounted Range → Socket Outlets

