

PRODUCT-DETAILS

# T2426 BL

Surface works. 2XSO+2XSOR+1Xspace BL  
Surface mounting White - CEM



## Informazioni generali

Tipo	T2426 BL
ID prodotto	2CLA242600T1101
EAN	8427238114576
Descrizione catalogo	Surface works. 2XSO+2XSOR+1Xspace BL Surface mounting White - CEM
Descrizione	<p>2 Socket outlets fully wired with 2,5mm<sup>2</sup> halogen free cable.                  2 Red socket outlets fully wired with 2,5mm<sup>2</sup> halogen free cable.                  1 empty space for customization with VDI connectors (cover plate and connectors not included).</p> <p>Power input through integrated connectors: black male rapid connector / red male rapid connector.                  Mounted on aluminium profile.                  Set of detachable raised mounting brackets.</p>

## Installation

Istruzioni e manuali	No document needed
----------------------	--------------------

## Dati tecnici

Scheda tecnica	No document needed
Number of Empty Module Positions	0

Design Range	CEM
Forma	Rectangular
Materiale	Aluminium
Model Number	Surface mounting
Colore	White
Number of Batteries	0

### Dati ambientali

Temperatura ambiente	In funzione -5 ... +35 °C In magazzino -5 ... +50 °C
Dichiarazione RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informazioni RoHS	2CLC242600T1101
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

### Dimensioni

Larghezza prodotto	373.2 mm
Altezza prodotto	84 mm
Profondità prodotto	54 mm
Peso netto prodotto	0.833 kg

### Certificati e dichiarazioni (numero del documento)

Dichiarazione di conformità - CE	No declaration needed
----------------------------------	-----------------------

### Classificazioni

ETIM 8	EC002759 - Desk connecting unit
ETIM 9	EC002759 - Desk connecting unit
Categoria RAEE	5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	85369001

### Categorie

Prodotti di bassa tensione → Wiring Accessories - Light Switch Ranges → Surface Mounted Range → Socket Outlets

