

PRODUCT-DETAILS

8161.2

Blind switch 230 V



Informazioni generali

Tipo	8161.2
ID prodotto	2CLA816120A1001
EAN	8427238016825
Descrizione catalogo	Blind switch 230 V

Descrizione	<p>Rated voltage: 230 V~, +10 % / -10 % Rated frequency: 50 Hz Suitable for blind, roller blind and awning drives with mechanical or electronic limit switch shut-off. With two 230 V multi-way input terminals (Up/Down) for group control. With operating mode switch for the following modes: normal, louvre, base station, position. Wind alarm, cleaning functions can be accommodated via extension input. For comfort timer control element 8565.31 or 8565.3 Remote control also available with blind switches / push-buttons code 8144.X Running time: 3 min Outputs: 2 Normally open contact Rated current: 3 A, cos φ0.5 Rated power: 690 VA Control/Signal outputs: 2, Temperature range (Device): 0 °C to 35 °C Included: fixing claws</p>
-------------	---

Installation

Istruzioni e manuali	No document needed
----------------------	--------------------

Dati tecnici

Scheda tecnica	9AKK107046A0356
Tensione nominale (U _n)	230 V
Frequenza (f)	50...50 Hz
Potenza massima di commutazione	690 W
Design Range	Platform 8100 Alba Sky Niessen
Tipo di montaggio	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Colore	No color
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control

Dati ambientali

Temperatura ambiente	In funzione -5 ... +35 °C In magazzino -5 ... +50 °C
Grado di protezione	IP20
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensioni

Larghezza prodotto	0.062 m
Altezza prodotto	0.073 m
Profondità prodotto	0.073 m
Peso netto prodotto	0.16 kg

Ordinazione

ID prodotto sostituito (VECCHIO)	2CL0816120
----------------------------------	------------

Certificati e dichiarazioni (numero del documento)

Dichiarazione di conformità - CE	No declaration needed
----------------------------------	-----------------------

Classificazioni

ETIM 8	EC000615 - Venetian blind control unit
ETIM 9	EC000615 - Venetian blind control unit
Categoria RAEE	5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	85365080
UNSPSC	39122200

Categorie

Prodotti di bassa tensione → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

