

PRODUCT-DETAILS

TR/U 1.1.ZS

TR/U 1.1.ZS Card Reader Zenit Silver



Informazioni generali	
Tipo	TR/U 1.1.ZS
ID prodotto	2CSY242210R5000

EAN 8012542356837

Descrizione catalogo TR/U 1.1.ZS Card Reader Zenit Silver

The "transponder reader" is a flush-mounting device for British Standard wall boxes, designed to realize access control systems with a communication support based on KNX bus. It is equipped with one relay (4A @24 V AC/DC) and one input to be used for connecting external conventional card-holder (e.g. Zenit wiring accessories card-holder). The output can be programmed in three different ways: "Linked to access control", receiving in this case switching commands from the device itself (according to transponder card validation); being a standard KNX Switch actuator output, able to be controlled by every KNX standard devices; "linked to card-holder", that means that the relay is switched according to closing/opening internal input contact available on transponder reader. The bicolor (red-green) LED placed on the front of the device allow you to monitor device operation and can be also switched ON/OFF in the proper color according to KNX telegram (for example for DND/MUR purposes). The transponder reader can be configured with ABB Access control software in order to behave as transponder programming device. The transponder reader requires a 12...24 V AC/DC external power supply to ensure its

Descrizione

Installation

Istruzioni e manuali 2CKA001473B5155

operation even with bus voltage failure.

TR/U 1.1.ZS 2

Dati tecnici	
Scheda tecnica	2CKA000173B5036
Power Supply Type	Integrated
Gamma prodotto	KNX
Model Number	Card Reader
Colore Application Function	Silver Hospitality
Application Function	Hospitality
Dati ambientali	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Dimensioni	
Larghezza prodotto	44 mm
Altezza prodotto	43 mm
Profondità prodotto	44 mm
Peso netto prodotto	0.050 kg
Certificati e dichiarazioni (nu	mero del documento)
Dichiarazione di conformità - CE	2CSC500009D2701
Classificazioni	
ETIM 8	EC002971 - System device clinic-installation
ETIM 9	EC002971 - System device clinic-installation
Categoria RAEE	Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	85365080

Categorie

 $Prodotti\ di\ bassa\ tensione \rightarrow Automazione\ case\ ed\ edifici \rightarrow KNX \rightarrow User\ Operation \rightarrow Zenit\ /\ Olas \rightarrow Transponder\ Readers\ and\ Card\ Holders$

TR/U 1.1.ZS 3





