

PRODUCT-DETAILS

BT/A 1.1

BT/A1.1 Keypad, black, SM



Informações gerais

| | |
|--------------------------|---------------------------|
| Tipo de produto alargado | BT/A 1.1 |
| ID do produto | 2CDG280001R0011 |
| EAN | 4016779925563 |
| Descrição do catálogo | BT/A1.1 Keypad, black, SM |

Descrição longa

used to operate and display the information of the system states of the GM/A 8.1 KNX Security Panel. System messages are displayed on a four-line LCD display. The multifunction and special keys mean that all the system functions can be operated easily. Safety-relevant functions are protected by a user PIN. Five Keypads can be connected to each Security Panel. There is no need for an external voltage supply, the keypads are supplied via the Keypad-Bus. The device can be used in systems with increased system requirements according to VdS Class A, B and C, DIN VDE 0833 Level 1, 2 and 3 and EN 50131/IEC 62642 Level 1, 2 and 3.

Installation

| | |
|----------------------|-----------------|
| Instruções e Manuais | 2CDG941141P0003 |
|----------------------|-----------------|

Technical

| | |
|------------------------------------|-----------------|
| Ficha de dados, informação técnica | 2CDC513072D0203 |
| Auxiliary Voltage AC/DC | 12 V DC |

| | |
|------------------------|-----------------|
| Power Loss | 0.9 W |
| Compatible Bus Systems | S-Bus/XIB |
| Tipo de apoio | Surface Mounted |
| Manual Operation | Yes |
| Color | black |
| Number of Batteries | 0 |
| Tamanho do ecrã | 4 in |

Environmental

| | |
|-------------------|-----------------------------------|
| Grau de proteção | IP30 |
| Estado RoHS | Following EU Directive 2011/65/EU |
| Informação RoHS | 2CDK513061D2701 |
| REACH Declaration | 9AKK107492A1906 |

Dimensions

| | |
|--|----------|
| Largura Líquida do Produto | 118 mm |
| Altura Líquida do Produto | 237 mm |
| Profundidade/Comprimento Líquidos do Produto | 24.5 mm |
| Peso Líquido do Produto | 0.325 kg |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaração de conformidade -CE | 2CDK513061D2701 |
|--------------------------------|-----------------|

Classifications

| | |
|-----------------------------------|--|
| ETIM 8 | EC001767 - Operating and display device for intrusion detection system |
| ETIM 9 | EC001767 - Control and display device for danger detection system |
| Categoria REEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| REEE B2C / B2B | Business To Consumer |
| CN8 | 8531 20 95 |
| eClass | V11.0 : 27390313 |
| Código de classificação do objeto | A |

Categorias

Produtos e Sistemas de Baixa Tensão → Building and Home Automation Solutions → KNX → Security - Alarm System GMA → Keypads

Produtos e Sistemas de Baixa Tensão → Building and Home Automation Solutions → Sistemas de Alarme Anti-Intrudos → Alarm System - GMA → Keypads

