

PRODUCT-DETAILS

VCO/S150.2

VCO/S150.2 Busch-VoiceControl_2



Informações gerais

Tipo de produto alargado	VCO/S150.2
ID do produto	2CKA006136A0220
EAN	4011395310182
Descrição do catálogo	VCO/S150.2 Busch-VoiceControl_2
Descrição longa	<p>A certified voice control gateway for the combination of a KNX system with a voice control system. Acts as a gateway and guarantees that you can operate the KNX components in a house and query their status using Apple, Amazon or Google devices. This component makes it possible to operate the lighting, blind or room temperature controller using simple voice control. Up to 150 functions can be used. Busch-VoiceControl® is an official certified HomeKit accessory. Complete web-based commissioning. Compatible with ABB i-bus® KNX External power supply: 10-36 VDC (SELV).</p>

Installation

Instruções e Manuais	No document needed
----------------------	--------------------

Technical

Ficha de dados, informação técnica	No document needed
Tensão nominal (U _r)	10 ... 36 V

Voltage Range	10 ... 30 V DC
Auxiliary Voltage AC/DC	10 ... 30 V DC
Tensão de Entrada (U _{in})	24 V DC
Power Loss	0 W
Interface da Comunicação	Ethernet
Número de LEDs	2
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Tipo de apoio	DIN-Rail
Posição de montagem	horizontal
Color	grey
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Data Communication / Multimedia Room Climate Control Safety and Security

Environmental

Temperatura do ar ambiente	Operation 0 ... +70 °C
Grau de proteção	IP20
Estado RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informação RoHS	2CKA200000E7225
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	4
Largura Líquida do Produto	71.9 mm
Altura Líquida do Produto	89.8 mm
Profundidade/Comprimento Líquidos do Produto	60 mm
Peso Líquido do Produto	126 g

Ordering

ID de Substituição do Produto (ANTIGA)	2CKA006136A0217
--	-----------------

Certificates and Declarations

Declaração de conformidade -CE	2CKA100000E4629
--------------------------------	-----------------

Classifications

ETIM 8	EC001099 - System interface/media gateway for bus system
ETIM 9	EC001099 - System interface/media gateway for bus system
Categoria REEE	5. Small Equipment (No External Dimension More Than 50 cm)
REEE B2C / B2B	Business To Consumer
CN8	8537 10 91
UNSPSC	43222605
eClass	V11.0 : 27143136
Código de Categoria Granular IDEA (IGCC)	6809 >> System interface/media gateway for bus system

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
1SVR427043R0100	CP-D 24/1.3 Power supply In: 100-240VAC Out: 24VDC/1.3A	CP-D 24/1.3	1	piece
2CDG120037R0011	CP-D24/2.5 priOn Power Supply, 24 V DC, 2.5 A, MDRC	CP-D24/2.5	1	piece

Categorias

Produtos e Sistemas de Baixa Tensão → Building and Home Automation Solutions → KNX → Visualisation, Display and Signalling → Visualisation

